

3) 130%容量接続時 (室内ユニット合計容量 : 585)

(450 : 暖房)

周波数 (Hz)	外気温度 (WB)	室内吸込空気温度 (DB)											
		18		19		20		21		22		23	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50/60	- 6	40.7	14.20	40.3	14.33	39.9	14.44	39.6	14.56	39.2	14.64	38.8	14.72
	- 4	42.9	14.79	42.6	14.95	42.1	15.04	41.8	15.09	41.3	15.17	41.0	15.25
	- 2	45.2	15.32	44.8	15.48	44.4	15.58	44.1	15.65	43.7	15.73	43.4	15.81
	0	47.3	15.71	47.0	15.88	46.6	15.99	46.2	16.09	45.8	16.16	45.5	16.24
	2	49.4	16.21	49.1	16.44	48.8	16.58	48.4	16.65	48.1	16.72	47.7	16.80
	4	51.5	16.50	51.1	16.77	50.8	17.05	50.5	17.13	50.1	17.18	49.8	17.26
	6	53.6	17.28	53.4	17.29	53.0	17.31	52.6	17.34	52.2	17.38	51.8	17.41

(2) KX-Kシリーズ (組合せ仕様)

冷房能力 (接続容量による能力を温度補正したものです。下表の条件に該当しない場合は個々に能力補正計算をしてください。能力の補正計算は700ページをご覧ください。)

・冷媒R22仕様

(a) FDCJ500HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 400)

(500 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	39.9	13.80	41.0	14.07	42.1	14.33	43.1	14.73	44.2	15.13	45.2	15.39
	29	39.0	14.07	41.2	14.33	41.2	14.60	42.3	14.99	43.4	15.26	44.4	15.66
	31	38.1	14.33	39.2	14.60	40.3	14.86	41.4	15.26	42.6	15.52	43.6	15.92
	33	37.0	14.60	38.2	15.86	39.4	15.26	40.6	15.66	41.6	15.92	42.7	16.32
	35	35.9	14.86	37.2	15.13	38.6	15.66	39.7	16.05	40.7	16.32	41.9	16.58
	37	34.9	15.13	36.2	15.39	37.5	15.92	38.7	16.45	39.9	16.72	41.0	16.98
	39	33.9	15.39	35.2	15.79	36.4	16.19	37.7	16.72	39.0	16.98	40.2	17.38
60	27	41.9	14.66	43.1	14.94	44.2	15.22	45.3	15.65	46.4	16.07	47.4	16.35
	29	41.0	14.94	42.2	15.22	43.2	15.50	44.4	15.93	45.6	16.21	46.6	16.63
	31	40.0	15.22	41.2	15.50	42.3	15.79	43.5	16.21	44.7	16.49	45.7	16.92
	33	38.8	15.50	40.2	15.79	41.4	16.21	42.6	16.63	43.7	16.92	44.9	17.34
	35	37.7	15.79	39.1	16.07	40.5	16.63	41.7	17.06	42.8	17.34	44.0	17.62
	37	36.6	16.07	38.0	16.35	39.4	16.92	40.7	17.48	41.9	17.76	43.1	18.05
	39	35.6	16.35	37.0	16.78	38.3	17.20	39.6	17.76	41.0	18.05	42.2	18.47

2) 100%容量接続時 (室内ユニット合計容量 : 500)

(500 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	49.6	16.74	51.0	17.07	52.4	17.39	53.7	17.88	55.0	18.37	56.2	18.69
	29	48.5	17.07	50.0	17.39	51.2	17.72	52.6	18.21	54.0	18.53	55.2	19.02
	31	47.3	17.39	48.8	17.72	50.1	18.04	51.6	18.53	52.9	18.86	54.2	19.35
	33	46.0	17.72	47.6	18.04	49.1	18.53	50.5	19.02	51.8	19.35	53.1	19.83
	35	44.6	18.04	46.3	18.37	48.0	19.02	49.4	19.51	50.6	19.83	52.1	20.16
	37	43.4	18.37	45.1	18.69	46.7	19.35	48.2	20.00	49.6	20.32	51.0	20.65
	39	42.1	18.69	43.8	19.18	45.3	19.67	46.9	20.32	48.5	20.65	50.0	21.14
60	27	52.1	17.79	53.6	18.14	55.0	18.48	56.3	19.01	57.7	19.53	59.0	19.87
	29	51.0	18.14	52.5	18.48	53.8	18.83	55.2	19.35	56.7	19.70	58.0	20.22
	31	49.7	18.48	51.3	18.83	52.6	19.18	54.1	19.70	55.6	20.05	56.9	20.57
	33	48.3	18.83	49.9	19.18	51.5	19.70	53.0	20.22	54.4	20.57	55.8	21.09
	35	46.9	19.18	48.6	19.53	50.4	20.22	51.9	20.74	53.2	21.09	54.7	21.43
	37	45.6	19.53	47.3	19.87	49.0	20.57	50.6	21.26	52.1	21.61	53.6	21.96
	39	44.3	19.87	46.0	20.39	47.6	20.91	49.3	21.61	51.0	21.96	52.5	22.48

3) 130%容量接続時 (室内ユニット合計容量 : 650)

(500 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	53.3	17.69	54.9	18.04	56.3	18.38	57.7	18.90	59.1	19.41	60.4	19.76
	29	52.2	18.04	53.7	18.38	55.1	18.72	56.6	19.24	58.1	19.59	59.3	20.10
	31	50.9	18.38	52.5	18.72	53.9	19.07	55.4	19.59	56.9	19.93	58.3	20.45
	33	49.4	18.72	51.1	19.07	52.7	19.59	54.3	20.10	55.7	20.45	57.1	20.97
	35	48.0	19.07	49.8	19.41	51.6	20.10	53.1	20.62	54.4	20.97	56.0	21.31
	37	46.6	19.41	48.5	19.76	50.2	20.45	51.8	21.14	53.3	21.48	54.9	21.83
	39	45.3	19.76	47.1	20.28	48.7	20.79	50.5	21.48	52.2	21.83	53.7	22.35
60	27	56.0	18.80	57.6	19.17	59.1	19.54	60.6	20.09	62.0	20.64	63.4	21.01
	29	54.8	19.17	56.4	19.54	57.8	19.91	59.4	20.46	61.0	20.83	62.3	21.38
	31	53.4	19.54	55.1	19.91	56.6	20.27	58.2	20.83	59.8	21.19	61.2	21.74
	33	51.9	19.91	53.7	20.27	55.4	20.83	57.0	21.38	58.5	21.74	60.0	22.30
	35	50.4	20.27	52.3	20.64	54.2	21.38	55.8	21.93	57.2	22.30	58.8	22.66
	37	49.0	20.64	50.9	21.01	52.7	21.74	54.4	22.48	56.0	22.85	57.6	23.22
	39	47.6	21.01	49.5	21.56	51.1	22.11	53.0	22.85	54.8	23.22	56.4	23.77

(b) FDCJ560HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 448)

(560 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	44.0	15.55	45.3	15.85	46.5	16.15	47.6	16.60	48.8	17.05	49.9	17.35
	29	43.1	15.85	44.4	16.15	45.5	16.45	46.7	16.90	47.9	17.20	49.0	17.65
	31	42.0	16.15	43.3	16.45	44.5	16.75	45.8	17.20	47.0	17.50	48.1	17.96
	33	40.8	16.45	42.2	16.75	43.5	17.20	44.8	17.65	46.0	17.96	47.2	18.41
	35	39.6	16.75	41.1	17.05	42.6	17.65	43.9	18.11	45.0	18.41	46.2	18.71
	37	38.5	17.05	40.0	17.35	41.4	17.96	42.8	18.56	44.0	18.86	45.3	19.16
	39	37.4	17.35	38.9	17.81	40.2	18.26	41.7	18.86	43.1	19.16	44.4	19.61
60	27	46.5	17.07	47.9	17.40	49.1	17.73	50.3	18.23	51.6	18.73	52.7	19.06
	29	45.5	17.40	46.9	17.73	48.0	18.06	49.3	18.56	50.7	18.89	51.8	19.39
	31	44.4	17.73	45.8	18.06	47.0	18.39	48.4	18.89	49.7	19.22	50.8	19.72
	33	43.1	18.06	44.6	18.39	46.0	18.89	47.4	19.39	48.6	19.72	49.8	20.22
	35	41.9	18.39	43.4	18.73	45.0	19.39	46.4	19.89	47.5	20.22	48.9	20.55
	37	40.7	18.73	42.3	19.06	43.8	19.72	45.2	20.39	46.5	20.72	47.9	21.05
	39	39.5	19.06	41.1	19.56	42.5	20.05	44.0	20.72	45.5	21.05	46.9	21.55

2) 100%容量接続時 (室内ユニット合計容量 : 560)

(560 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	54.7	18.95	56.3	19.32	57.8	19.70	59.3	20.25	60.7	20.81	62.0	21.18
	29	53.6	19.32	55.2	19.70	56.6	20.07	58.1	20.62	59.6	20.99	61.0	21.55
	31	52.3	19.70	53.9	20.07	55.3	20.44	56.9	20.99	58.5	21.36	59.8	21.92
	33	50.8	20.07	52.5	20.44	54.2	20.99	55.8	21.55	57.2	21.92	58.7	22.48
	35	49.3	20.44	51.1	20.81	53.0	21.55	54.6	22.11	55.9	22.48	57.5	22.85
	37	47.9	20.81	49.8	21.18	51.5	21.92	53.2	22.66	54.7	23.03	56.3	23.40
	39	46.5	21.18	48.4	21.74	50.0	22.29	51.8	23.30	53.6	23.40	55.2	23.96
60	27	57.8	20.82	59.5	21.23	61.1	21.64	62.6	22.26	64.1	22.87	65.5	23.28
	29	56.6	21.23	58.3	21.64	59.8	22.05	61.4	22.67	63.0	23.08	64.4	23.69
	31	55.2	21.64	57.0	22.05	58.5	22.46	60.4	23.08	61.8	23.49	63.2	24.10
	33	53.6	22.05	55.5	22.46	57.2	23.08	58.9	23.69	60.4	24.10	62.0	24.71
	35	52.1	22.46	54.0	22.87	56.0	23.69	57.7	24.30	59.1	24.71	60.8	25.12
	37	50.6	22.87	52.6	23.28	54.4	24.10	56.2	24.92	57.8	25.33	59.5	25.74
	39	49.2	23.28	51.1	23.89	52.9	24.51	54.8	25.33	56.6	25.74	58.3	26.35

3) 130%容量接続時 (室内ユニット合計容量 : 728)

(560 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	58.9	20.03	60.6	20.43	62.2	20.82	63.7	21.41	65.2	22.00	66.7	22.39
	29	57.6	20.43	59.3	20.82	60.8	21.21	62.4	21.80	64.1	22.20	65.5	22.79
	31	56.2	20.82	57.9	21.21	59.5	21.61	61.2	22.20	62.8	22.59	64.3	23.18
	33	54.6	21.21	56.5	21.61	58.2	22.20	59.9	22.79	61.5	23.18	63.1	23.77
	35	53.0	21.61	55.0	22.01	57.0	22.79	58.7	23.38	60.1	23.77	61.8	24.16
	37	51.5	22.00	53.5	22.39	55.4	23.18	47.2	23.97	58.9	24.36	60.6	24.75
	39	50.0	22.39	52.0	22.98	53.8	23.57	55.7	24.36	57.6	24.75	59.3	25.34
60	27	62.2	22.02	64.0	22.45	65.7	22.88	67.3	23.54	68.9	24.19	70.4	24.62
	29	60.9	22.45	62.7	22.88	64.2	23.32	66.0	23.97	67.7	24.40	69.2	25.06
	31	59.4	22.88	61.2	23.32	62.8	23.75	64.7	24.40	66.4	24.84	68.0	25.49
	33	57.7	23.32	59.7	23.75	61.5	24.40	63.3	25.06	65.0	25.49	66.6	26.14
	35	56.0	23.75	58.1	24.19	60.2	25.06	62.0	25.71	63.5	26.14	65.3	26.57
	37	54.4	24.19	56.5	24.62	58.5	25.49	60.4	26.36	62.2	26.79	64.0	27.23
	39	52.9	24.62	55.0	25.27	56.8	25.92	58.9	26.79	60.9	27.23	62.7	27.88

(c) FDCJ672HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 538)

(672 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	51.8	17.54	53.3	17.87	54.7	18.20	56.0	18.70	57.4	19.20	58.6	19.53
	29	50.7	17.87	52.2	18.20	53.5	18.53	54.9	19.03	56.4	19.37	57.6	19.86
	31	49.4	18.20	51.0	18.53	52.3	18.87	53.8	19.37	55.3	19.70	56.6	20.20
	33	48.0	18.53	49.7	18.87	51.2	19.37	52.7	19.86	54.1	20.20	55.5	20.69
	35	46.6	18.87	48.4	19.20	50.1	19.86	51.6	20.36	52.9	20.69	54.4	21.03
	37	45.3	19.20	47.1	19.53	48.7	20.20	50.3	20.86	51.8	21.19	53.3	21.52
	39	44.0	19.53	45.7	20.03	47.3	20.53	49.0	21.19	50.7	21.52	52.2	22.02
60	27	55.7	19.25	57.3	19.61	58.8	19.98	60.3	20.53	61.7	21.08	63.1	21.45
	29	54.5	19.61	56.1	19.98	57.5	20.35	59.1	20.90	60.6	21.27	62.0	21.82
	31	53.1	19.98	54.8	20.35	56.3	20.72	57.9	21.27	59.4	21.63	60.8	22.18
	33	51.6	20.35	53.4	20.72	55.1	21.27	56.7	21.82	58.2	22.18	59.7	22.74
	35	50.1	20.72	52.0	21.08	53.9	21.82	55.5	12.37	56.9	22.74	58.5	23.10
	37	48.7	21.08	50.6	21.45	52.4	22.18	54.1	22.92	55.7	23.29	57.3	23.65
	39	47.3	21.45	49.2	22.00	50.9	21.55	52.7	23.29	54.5	23.65	56.1	24.20

2) 100%容量接続時 (室内ユニット合計容量 : 672)

(672 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	64.5	20.22	66.3	21.63	68.1	22.04	69.8	22.65	71.4	23.26	73.0	23.67
	29	63.1	21.63	65.0	22.04	66.6	22.45	68.4	23.06	70.2	23.47	71.8	24.08
	31	61.5	22.04	63.5	22.45	65.1	22.86	67.0	23.47	68.8	23.88	70.4	24.49
	33	59.8	22.45	61.8	22.86	63.8	23.47	65.6	24.08	67.3	24.49	69.1	25.10
	35	58.0	22.86	60.2	23.26	62.4	24.08	64.3	24.69	65.8	25.10	67.7	25.51
	37	56.4	23.26	58.6	23.67	60.7	24.49	62.6	25.30	64.5	25.71	66.3	26.12
	39	54.8	23.67	57.0	24.28	58.9	24.90	61.0	25.71	63.1	26.12	65.0	26.73
60	27	69.4	23.32	71.4	23.77	73.3	24.22	75.1	24.90	76.9	25.58	78.6	26.03
	29	67.9	23.77	70.0	24.22	71.7	24.67	73.7	25.35	75.6	25.80	77.3	26.48
	31	66.3	24.22	68.3	24.67	70.2	25.13	72.2	25.80	74.1	26.25	75.9	26.93
	33	64.4	24.67	66.6	25.13	68.7	25.80	70.7	26.48	72.5	26.93	74.4	27.61
	35	62.5	25.13	64.8	25.58	67.2	26.48	69.2	27.16	70.9	27.61	72.9	28.06
	37	60.7	25.58	63.1	26.03	65.3	26.93	67.5	27.83	69.4	28.29	71.4	28.74
	39	59.0	26.03	61.4	26.71	63.4	27.38	65.7	28.29	67.9	28.74	70.0	29.41

3) 130%容量接続時 (室内ユニット合計容量: 874)

(672: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	69.3	22.41	71.3	22.84	73.2	23.28	75.0	23.93	76.8	24.58	78.5	25.01
	29	67.8	22.84	69.8	23.28	71.6	23.71	73.5	24.36	75.5	24.79	77.1	25.44
	31	66.1	23.28	68.2	23.71	70.0	24.14	72.0	24.79	74.0	25.22	75.7	25.87
	33	64.3	23.71	66.5	24.14	68.6	24.79	70.6	25.44	72.4	25.87	74.3	26.52
	35	62.4	24.14	64.7	24.58	67.1	25.44	69.1	26.09	70.8	26.52	72.8	26.95
	37	60.6	24.58	63.0	25.01	65.2	25.87	67.3	26.74	69.3	27.17	71.3	27.60
	39	58.9	25.01	61.2	25.66	63.3	26.31	65.6	27.17	67.8	27.60	69.8	28.25
60	27	74.6	24.64	76.8	25.11	78.8	25.59	80.8	26.31	82.7	27.03	84.5	27.51
	29	73.0	25.11	75.2	25.59	77.1	26.07	79.2	26.79	81.3	27.27	83.1	27.98
	31	71.2	25.59	73.5	26.07	75.4	26.55	77.6	27.27	79.7	27.75	81.6	28.46
	33	69.2	26.07	71.6	26.55	73.8	27.27	76.0	27.98	77.9	28.46	80.0	29.28
	35	67.2	26.55	69.7	27.03	72.2	27.98	74.4	28.70	76.2	29.18	78.4	29.66
	37	65.3	27.03	67.8	27.51	70.2	28.46	72.5	29.42	74.6	29.90	76.8	30.38
	39	63.4	27.51	66.0	28.22	68.2	28.94	70.7	29.90	75.2	30.38	75.2	31.09

(d) FDCJ728HKX2DA

1) 80%容量接続時 (室内ユニット合計容量: 583)

(728: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	56.4	18.95	58.0	19.32	59.6	19.68	61.0	20.22	62.5	20.76	63.9	21.12
	29	55.2	19.32	56.8	19.68	58.3	20.04	59.8	20.58	61.4	20.94	62.8	21.48
	31	53.8	19.68	55.5	20.04	57.0	20.40	58.6	20.94	60.2	21.30	61.6	21.84
	33	52.3	20.04	54.1	20.40	55.8	20.94	57.4	21.48	58.9	21.84	60.4	22.39
	35	50.8	20.40	52.7	20.76	54.6	21.48	56.2	22.02	57.6	22.39	59.2	22.75
	37	49.4	20.76	51.3	21.12	53.1	21.84	54.8	22.57	56.4	22.93	58.0	23.29
	39	47.9	21.12	49.9	21.66	51.5	22.21	53.4	22.93	55.2	23.29	56.8	23.83
60	27	60.3	20.66	62.1	21.06	63.7	21.45	65.3	22.05	66.9	22.64	68.3	23.04
	29	59.0	21.06	60.8	21.45	62.3	21.85	64.0	22.44	65.7	22.84	67.1	23.43
	31	57.6	21.45	59.4	21.85	61.0	22.24	62.7	22.84	64.4	23.24	65.9	23.83
	33	55.9	21.85	57.9	22.24	59.7	22.84	61.4	23.43	63.0	23.83	64.6	24.43
	35	54.3	22.24	56.3	22.64	58.4	23.43	60.1	24.03	61.6	24.43	63.3	24.82
	37	52.8	22.64	54.8	23.04	56.8	23.83	58.6	24.62	60.3	25.02	62.1	25.42
	39	51.3	23.04	53.3	23.63	55.1	24.23	57.1	25.02	59.0	25.42	60.8	26.01

2) 100%容量接続時 (室内ユニット合計容量: 728)

(728: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	70.2	22.99	72.3	23.43	74.2	23.88	76.0	24.54	77.9	25.21	79.6	25.66
	29	68.7	23.43	70.8	23.88	72.6	24.32	74.5	24.99	76.5	25.43	78.2	26.10
	31	67.0	23.88	69.2	24.32	71.0	24.77	73.0	25.43	75.0	25.88	76.8	26.54
	33	65.1	24.32	67.4	24.77	69.5	25.43	71.5	26.10	73.4	26.54	75.3	27.21
	35	63.2	24.77	65.6	25.21	68.0	26.10	70.0	26.77	71.7	27.21	73.8	27.66
	37	61.5	25.21	63.9	25.66	66.1	26.54	68.3	27.43	70.2	27.88	72.3	28.32
	39	59.7	25.66	62.1	26.32	64.2	26.99	66.5	27.88	68.7	28.32	70.8	28.99
60	27	75.2	25.09	77.4	25.57	79.4	26.06	81.4	26.79	83.4	27.52	85.2	28.01
	29	73.6	25.57	75.8	26.06	77.7	26.55	79.8	27.28	81.9	27.77	83.7	28.50
	31	71.8	26.06	74.0	26.55	76.0	27.04	78.2	27.77	80.3	28.26	82.2	28.99
	33	69.7	26.55	72.1	27.04	74.4	27.77	76.6	28.50	78.6	28.99	80.6	29.72
	35	67.7	27.04	70.3	27.52	72.8	28.50	75.0	29.23	76.8	28.72	79.0	30.21
	37	65.8	27.52	68.4	28.01	70.8	28.99	73.1	29.96	75.2	30.45	77.4	30.94
	39	63.9	28.01	66.5	28.74	68.7	29.48	71.2	30.45	73.6	30.94	75.8	31.67

3) 130%容量接続時 (室内ユニット合計容量 : 947)

(728 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	75.5	24.28	77.7	27.75	79.8	25.23	81.7	25.93	83.7	26.64	85.5	27.11
	29	73.9	24.75	76.1	25.23	78.0	25.70	80.1	26.40	82.2	26.87	84.1	27.58
	31	72.1	25.23	74.3	25.70	76.3	26.17	78.5	26.87	80.6	27.35	82.5	28.05
	33	70.0	25.70	72.4	26.17	74.7	26.87	76.9	27.58	78.9	28.05	80.9	28.76
	35	68.0	26.17	70.5	26.64	73.1	27.58	75.3	28.29	77.1	27.76	79.3	29.23
	37	66.1	26.64	68.6	27.11	71.1	28.05	73.4	28.99	75.5	29.47	77.7	29.94
	39	64.2	27.11	66.7	27.82	69.0	28.52	71.5	29.47	73.9	29.94	76.1	30.64
60	27	80.8	26.51	83.2	27.02	85.4	27.54	87.5	28.32	89.6	29.09	91.6	29.61
	29	79.1	27.02	81.5	27.54	83.5	28.06	85.8	28.83	88.0	29.35	90.0	30.13
	31	77.2	27.54	79.6	28.06	81.7	28.57	84.1	29.35	86.3	29.87	88.4	30.64
	33	75.0	28.06	77.6	28.57	80.0	29.35	82.3	30.13	84.4	30.64	86.6	31.42
	35	72.8	28.57	75.5	29.09	78.3	30.13	80.6	30.90	82.6	31.42	84.9	31.93
	37	70.7	29.09	73.5	29.61	76.1	30.64	78.6	31.68	80.8	32.19	83.2	32.71
	39	68.7	29.61	71.5	30.38	73.9	31.16	76.5	32.19	79.1	32.71	81.5	33.49

(e) FDCJ784HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 628)

(784 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	60.6	20.70	62.3	21.10	64.0	21.50	65.5	22.09	67.1	22.69	68.6	23.09
	29	59.3	21.10	61.0	21.50	62.5	21.90	64.2	22.49	65.9	22.89	67.4	23.49
	31	57.8	21.50	59.6	21.90	61.2	22.29	63.0	22.89	64.7	23.29	66.2	23.88
	33	56.2	21.90	58.1	22.29	59.9	22.89	61.7	23.49	63.2	23.88	64.9	24.48
	35	54.5	22.29	56.6	22.69	58.6	23.49	60.4	24.08	61.8	24.48	63.6	24.88
	37	53.0	22.69	55.0	23.09	57.0	23.88	58.9	24.68	60.6	25.07	62.3	25.47
	39	51.5	23.09	53.5	23.68	55.3	24.28	57.3	25.07	59.3	25.47	61.0	26.07
60	27	65.0	23.07	66.8	23.52	68.6	23.96	70.3	24.63	72.0	25.30	73.6	25.75
	29	63.6	23.52	65.5	23.96	67.1	24.41	68.9	25.08	70.7	25.52	72.3	26.19
	31	62.0	23.96	63.9	24.41	65.6	24.86	67.5	25.52	69.4	25.97	71.0	26.64
	33	60.2	24.41	62.3	24.86	64.3	25.52	66.1	26.19	67.8	26.64	69.6	27.31
	35	58.5	24.86	60.7	25.30	62.9	26.19	64.8	26.86	66.3	27.31	68.2	27.76
	37	56.8	25.30	59.0	25.75	61.1	26.64	63.1	27.53	65.0	27.98	66.8	27.42
	39	55.2	25.75	57.4	26.42	59.4	27.09	61.5	27.98	63.6	28.42	65.6	29.09

2) 100%容量接続時 (室内ユニット合計容量 : 784)

(784 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	75.4	25.20	77.6	25.69	79.6	26.18	81.6	26.92	83.6	27.65	85.4	28.14
	29	73.8	25.69	76.0	26.18	77.9	26.67	80.0	27.41	82.1	27.90	84.0	28.63
	31	72.0	26.18	74.2	26.67	76.2	27.16	78.4	27.90	80.5	28.29	82.4	29.12
	33	69.9	26.67	72.3	27.16	74.6	27.90	76.8	29.63	78.8	29.12	80.8	29.85
	35	67.9	27.16	70.4	27.65	73.0	28.63	75.2	29.36	77.0	29.85	79.2	30.34
	37	66.0	27.65	68.5	28.14	71.0	29.12	73.3	30.10	75.4	30.59	77.6	31.08
	39	64.1	28.14	66.6	28.87	68.9	29.61	71.4	30.59	73.8	31.08	76.0	31.18
60	27	81.0	28.12	83.3	28.67	85.5	29.22	87.7	30.04	89.8	30.87	91.7	31.42
	29	79.3	28.67	81.6	29.22	83.7	29.77	85.9	30.59	88.2	31.14	90.2	31.97
	31	77.3	29.22	79.7	29.77	81.8	30.32	84.2	31.14	86.5	31.69	88.5	32.52
	33	75.1	29.77	77.7	30.32	80.1	31.14	82.5	31.97	84.6	32.52	86.8	33.35
	35	72.9	30.32	75.7	30.87	78.4	31.97	80.8	32.80	82.7	33.35	85.1	33.90
	37	70.9	30.87	73.6	31.42	76.2	32.52	78.7	33.62	81.0	34.17	83.3	34.72
	39	68.8	31.42	71.6	32.25	74.0	33.07	76.7	34.17	79.3	34.72	81.6	35.55

3) 130%容量接続時 (室内ユニット合計容量: 1020)

(784: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	81.1	26.63	83.4	27.15	85.6	27.67	87.7	28.45	89.9	28.22	91.8	29.74
	29	79.3	27.15	81.7	27.67	83.7	28.19	86.0	28.96	88.3	29.48	90.2	30.26
	31	77.4	27.67	79.8	28.19	81.9	28.71	84.3	29.48	86.6	28.39	88.6	30.78
	33	75.2	28.19	77.8	28.71	80.2	29.48	82.6	30.26	84.7	30.78	86.9	31.56
	35	73.0	28.71	75.7	29.22	78.5	30.26	80.8	31.04	82.8	31.56	85.1	32.08
	37	70.9	29.22	73.7	29.74	76.3	30.78	78.8	31.82	81.1	32.34	83.4	32.86
	39	68.9	29.74	71.6	30.52	74.1	31.30	76.7	32.34	79.3	32.86	81.7	33.64
60	27	87.1	29.72	89.6	30.31	91.9	30.89	94.2	31.76	96.5	32.64	98.6	33.22
	29	85.2	30.31	87.7	30.89	89.9	31.47	92.4	32.35	94.8	32.93	96.9	33.80
	31	83.1	30.89	85.7	31.47	88.0	32.05	90.5	32.93	93.0	33.51	95.2	34.39
	33	80.7	31.47	83.5	30.05	86.1	32.93	88.7	33.80	90.9	34.39	93.3	35.26
	35	78.4	32.05	81.3	32.64	84.3	33.80	86.8	34.68	88.9	35.26	91.4	35.84
	37	76.2	32.64	79.1	33.22	81.9	34.39	84.6	35.55	87.1	36.14	89.6	36.72
	39	74.0	33.22	76.9	34.10	79.6	34.97	82.4	36.14	85.2	36.72	87.7	37.59

(f) FDCJ840HKX2DA

1) 80%容量接続時 (室内ユニット合計容量: 672)

(840: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	64.7	22.52	66.6	22.96	68.3	23.39	70.0	24.05	71.7	24.70	73.3	25.13
	29	63.3	22.96	65.2	23.39	66.8	23.83	68.6	24.48	70.5	24.91	72.0	25.57
	31	61.8	23.39	63.7	23.83	65.4	24.26	67.3	24.91	69.1	25.35	70.7	26.00
	33	60.0	23.83	62.1	24.26	64.0	24.91	65.9	25.57	67.6	26.00	69.3	26.65
	35	58.2	24.26	60.4	24.70	62.6	25.57	64.5	26.22	66.1	26.65	68.0	27.09
	37	56.6	24.70	58.8	25.13	60.9	26.00	62.9	26.87	64.7	27.31	66.6	27.74
	39	55.0	25.13	57.2	25.78	59.1	26.44	61.3	27.31	63.3	27.74	65.2	28.39
60	27	69.6	25.56	71.6	26.06	73.5	26.56	75.3	27.30	77.1	28.05	78.8	28.54
	29	68.1	26.06	70.1	26.56	71.9	27.05	73.8	27.80	75.8	28.30	77.5	29.04
	31	66.4	26.56	68.5	27.05	70.3	27.55	72.4	28.30	74.3	28.79	76.1	29.54
	33	64.5	27.05	66.8	27.55	68.9	28.30	70.9	29.04	72.7	29.54	74.6	30.29
	35	62.7	27.55	65.0	28.05	67.4	29.04	69.4	29.79	71.1	30.29	73.1	31.78
	37	60.9	28.05	63.3	28.54	65.5	29.54	67.6	30.53	69.6	31.03	71.6	31.53
	39	59.1	28.54	61.5	29.29	63.6	30.04	65.9	31.03	68.1	31.53	70.1	32.28

2) 100%容量接続時 (室内ユニット合計容量: 840)

(840: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	80.6	27.41	82.9	27.95	85.1	28.48	87.2	29.29	89.3	30.09	91.3	30.62
	29	78.9	27.95	81.2	28.48	83.2	29.02	85.5	29.82	87.8	30.36	89.7	31.16
	31	76.9	28.48	79.3	29.02	81.4	29.55	83.8	30.36	86.0	30.89	88.1	31.70
	33	74.7	29.02	77.3	29.55	79.7	30.36	82.1	31.16	84.2	31.70	86.3	32.50
	35	72.5	29.55	75.3	30.09	78.0	31.16	80.3	31.96	82.3	32.50	84.6	33.03
	37	70.5	30.09	73.2	30.62	75.8	31.70	78.3	32.77	80.6	33.30	82.9	33.83
	39	68.5	30.62	71.2	31.43	73.6	32.23	76.3	33.30	78.9	33.84	81.2	34.64
60	27	86.8	31.15	89.3	31.76	91.6	32.38	93.9	33.30	96.2	34.21	98.3	34.83
	29	84.9	31.76	87.4	32.38	89.6	32.99	92.1	33.91	94.5	34.52	96.6	35.44
	31	82.8	32.38	85.4	32.99	87.7	33.66	90.2	34.52	92.7	35.13	94.8	36.05
	33	80.5	32.99	83.2	33.60	85.8	34.52	88.4	35.44	90.6	36.05	93.0	36.97
	35	78.1	33.60	81.1	34.21	84.0	35.44	86.5	36.36	88.6	36.97	91.1	37.58
	37	75.9	34.21	78.9	34.83	81.6	36.05	84.3	37.28	86.8	37.89	89.3	38.50
	39	73.8	34.83	76.7	35.75	79.3	36.67	82.2	37.89	87.4	38.50	87.4	39.42

3) 130%容量接続時 (室内ユニット合計容量: 1092)

(840 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	86.6	28.97	89.1	29.54	91.5	30.11	93.7	30.96	96.0	31.81	98.1	32.38
	29	84.8	29.54	87.3	30.11	89.5	30.67	91.9	31.53	94.3	32.09	96.4	32.95
	31	82.7	30.11	85.3	30.67	87.5	31.24	90.1	32.09	92.5	32.66	94.7	33.51
	33	80.3	30.67	83.1	31.24	85.7	32.09	88.2	32.95	90.5	33.51	92.8	34.36
	35	78.0	31.24	80.9	31.81	83.9	32.95	86.4	33.80	88.5	34.36	91.0	34.93
	37	75.8	31.81	78.7	32.38	81.5	33.51	84.2	34.65	86.6	35.22	89.1	35.78
	39	73.6	32.38	76.6	33.23	79.2	34.08	82.0	35.22	84.8	35.78	87.3	36.63
60	27	93.3	32.94	96.0	33.59	98.5	34.24	101.0	35.21	103.4	36.18	105.7	36.83
	29	91.3	33.59	94.0	34.24	96.4	34.88	99.0	35.86	101.6	36.51	103.8	37.48
	31	89.0	34.24	91.8	34.88	94.3	35.53	97.0	36.51	99.6	37.16	101.9	38.13
	33	86.5	34.88	89.5	35.53	92.3	36.51	95.0	37.48	97.4	38.13	100.0	39.11
	35	84.0	35.53	87.1	36.18	90.3	37.48	93.0	38.46	95.3	39.11	98.0	39.75
	37	81.6	36.18	84.8	36.83	87.8	38.13	90.7	39.43	93.3	40.08	96.0	40.73
	39	79.3	36.83	82.4	37.81	85.2	38.78	88.3	40.08	91.3	40.73	94.0	41.70

(9) FDCJ896HKX2DA

1) 80%容量接続時 (室内ユニット合計容量: 717)

(896 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	68.4	22.71	70.3	23.14	72.2	23.57	74.0	24.21	75.8	24.86	77.4	25.28
	29	66.9	23.14	68.9	23.57	70.6	24.00	72.5	24.64	74.4	25.07	76.1	25.71
	31	65.2	23.57	67.3	24.00	69.1	24.43	71.1	25.07	73.0	25.50	74.7	26.14
	33	63.4	24.00	65.6	24.43	67.6	25.07	69.6	25.71	71.4	26.14	73.2	26.79
	35	61.5	24.43	63.9	24.86	66.2	25.71	68.2	26.36	69.8	26.79	71.8	27.22
	37	59.8	24.86	62.1	25.28	64.3	26.14	66.4	27.00	68.4	27.43	70.3	27.86
	39	58.1	25.28	60.4	25.93	62.5	26.57	64.7	27.43	66.9	27.86	68.9	28.50
60	27	74.2	25.27	76.4	25.75	78.4	26.24	80.3	26.96	82.3	27.68	84.1	28.16
	29	72.6	25.75	74.8	26.24	76.7	26.72	78.8	27.44	80.8	27.92	82.6	28.64
	31	70.9	26.24	73.1	26.72	75.0	27.20	77.2	27.92	79.3	28.40	81.1	29.13
	33	68.8	26.72	71.2	27.20	73.4	27.92	75.6	28.64	77.5	29.13	79.5	29.85
	35	66.8	27.20	69.3	27.68	71.9	28.64	74.0	29.37	75.8	29.85	78.0	30.33
	37	65.0	27.68	67.5	28.16	69.8	29.13	72.1	30.09	74.2	30.57	76.4	31.05
	39	63.1	28.16	65.6	28.89	67.8	29.61	70.3	30.57	72.6	31.05	74.8	31.78

2) 100%容量接続時 (室内ユニット合計容量: 896)

(896 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	85.1	27.47	87.6	28.00	89.9	28.52	92.1	29.32	94.3	30.11	96.4	30.63
	29	83.3	28.00	85.8	28.52	87.9	29.05	90.3	29.84	92.7	30.37	94.8	31.16
	31	81.2	28.52	83.8	29.05	86.0	29.58	88.5	30.37	90.9	30.90	93.0	31.69
	33	78.9	29.05	81.7	29.58	84.2	30.37	86.7	31.16	88.9	31.69	91.2	32.48
	35	76.6	29.58	79.5	30.11	82.4	31.16	84.9	31.95	86.9	32.48	89.4	33.00
	37	74.5	30.11	77.4	30.63	80.1	31.69	82.7	32.74	85.1	33.27	87.6	33.80
	39	72.3	30.63	75.2	31.42	77.8	32.21	80.6	33.27	83.3	33.80	85.8	34.59
60	27	92.6	30.62	95.2	31.21	97.8	31.80	100.2	32.69	102.6	33.58	104.8	34.17
	29	90.6	31.21	93.3	31.80	95.6	32.39	98.2	33.28	100.8	33.87	103.0	34.76
	31	88.3	31.80	91.1	32.39	93.5	32.98	96.2	33.87	98.8	34.46	101.2	35.35
	33	85.8	32.39	88.8	32.98	91.6	33.87	94.3	34.76	96.7	35.35	99.2	36.24
	35	83.3	32.98	86.5	33.58	89.6	34.76	92.3	35.65	94.5	36.24	97.2	36.83
	37	81.0	33.58	84.1	34.17	87.1	35.35	90.0	36.54	92.6	37.13	95.2	37.72
	39	78.7	34.17	81.8	35.06	84.6	35.94	87.6	37.13	90.6	37.72	93.3	38.61

3) 130%容量接続時 (室内ユニット合計容量 : 1165)

(896 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	91.5	29.01	94.2	29.56	96.6	30.12	99.0	30.96	101.4	31.80	103.6	32.36
	29	89.6	29.56	92.2	30.12	94.5	30.68	97.1	31.52	99.7	32.08	101.9	32.92
	31	87.3	30.12	90.1	30.68	92.5	31.24	95.1	32.08	97.7	32.64	100.0	33.48
	33	84.9	30.68	87.8	31.24	90.5	32.08	93.2	32.92	95.6	33.48	98.1	34.31
	35	82.4	31.24	85.5	31.80	88.6	32.92	91.2	33.75	93.5	34.31	96.1	34.87
	37	80.1	31.80	83.2	32.36	86.1	33.48	88.9	34.59	91.5	35.15	94.2	35.71
	39	77.8	32.36	80.9	33.20	83.6	34.03	86.6	35.15	89.6	35.71	92.2	36.55
60	27	99.5	32.34	102.4	32.97	105.1	33.60	107.7	34.54	110.3	35.48	112.7	36.11
	29	97.4	32.97	100.3	33.60	102.8	34.22	105.6	35.16	108.4	35.79	110.8	36.73
	31	95.0	33.60	98.0	34.22	100.6	34.85	103.4	35.79	106.2	36.42	108.7	37.36
	33	92.3	34.22	95.5	34.85	98.4	35.79	101.3	36.73	103.9	37.36	106.6	38.30
	35	89.6	34.85	92.9	35.48	96.3	36.73	99.2	37.67	101.6	38.30	104.5	38.93
	37	87.1	35.48	90.4	36.11	93.6	37.36	96.7	38.61	99.5	39.24	102.4	39.87
	39	84.6	36.11	87.9	37.05	90.9	37.99	94.2	39.24	97.4	39.87	100.3	40.81

(h) FDCJ952HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 762)

(952 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	73.0	24.12	75.1	24.58	77.1	25.04	79.0	25.72	80.9	26.41	82.7	26.87
	29	71.4	24.58	73.6	25.04	75.4	25.49	77.4	26.18	79.5	26.64	81.3	27.33
	31	69.7	25.04	71.9	25.49	73.8	25.95	75.9	26.64	77.9	27.10	79.8	27.78
	33	67.7	25.49	70.0	25.95	72.2	26.64	74.3	27.33	76.2	27.78	78.2	28.47
	35	65.7	25.95	68.2	26.41	70.7	27.33	72.8	28.01	74.6	28.47	76.7	28.93
	37	63.9	26.41	66.4	26.87	68.7	27.78	70.9	28.70	73.0	29.16	75.1	29.62
	39	62.0	26.87	64.5	27.56	66.7	28.24	69.1	29.16	71.4	29.62	73.6	30.30
60	27	78.9	26.68	81.2	27.19	83.3	27.70	85.4	28.47	87.4	29.23	89.3	29.74
	29	77.2	27.19	79.5	27.70	81.5	28.21	83.7	28.98	85.9	29.49	87.8	30.25
	31	75.3	27.70	77.6	28.21	79.7	28.72	82.0	29.49	84.2	30.00	86.2	30.76
	33	73.1	28.21	75.7	28.72	78.0	29.49	80.3	30.25	82.4	30.76	84.5	31.53
	35	71.0	28.72	73.7	29.23	76.4	30.25	78.6	31.02	80.5	31.53	82.8	32.04
	37	69.0	29.23	71.7	29.74	74.2	30.76	76.7	31.79	78.9	32.30	81.2	32.81
	39	67.0	29.74	69.7	30.51	72.1	31.28	74.7	32.30	77.2	32.81	79.5	33.57

2) 100%容量接続時 (室内ユニット合計容量 : 952)

(952 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	90.9	29.24	93.5	29.80	96.0	30.36	98.4	31.21	100.8	32.05	103.0	32.62
	29	89.0	29.80	91.6	30.36	93.9	30.93	96.4	31.77	99.0	32.33	101.2	33.18
	31	86.8	30.36	89.5	30.93	91.9	31.49	94.5	32.33	97.1	32.90	99.4	33.74
	33	84.3	30.93	87.2	31.49	89.9	32.33	92.6	33.18	95.0	33.74	97.4	34.59
	35	81.8	31.49	84.9	32.05	88.0	33.18	90.6	34.03	92.8	34.59	95.5	35.15
	37	79.6	32.05	82.6	32.62	85.5	33.74	88.4	34.87	90.9	35.43	93.5	36.00
	39	77.3	32.62	80.3	33.46	83.1	34.31	86.1	35.43	89.0	36.00	91.6	36.84
60	27	98.3	32.38	101.2	33.01	103.9	33.64	106.4	34.58	109.0	35.52	111.4	36.15
	29	96.2	33.01	99.1	33.64	101.6	34.27	104.3	35.21	107.1	35.84	109.5	36.78
	31	93.9	33.64	96.8	34.27	99.4	34.90	102.2	35.84	105.0	36.47	107.5	37.41
	33	91.2	34.27	94.3	34.90	97.3	35.84	100.2	36.78	102.7	37.41	105.4	38.35
	35	88.5	34.90	91.9	35.52	95.2	36.78	98.1	37.72	100.4	38.35	103.3	38.98
	37	86.1	35.52	89.4	36.15	92.5	37.41	95.6	38.66	98.3	39.29	101.2	39.92
	39	83.6	36.15	86.9	37.09	89.9	38.04	93.1	39.29	96.2	39.92	99.1	40.86

3) 130%容量接続時 (室内ユニット合計容量 : 1238)

(952 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	97.7	30.88	100.6	31.47	103.2	32.07	105.8	32.97	108.3	33.86	110.7	34.46
	29	95.6	31.47	98.5	32.07	100.9	32.67	103.7	33.56	106.4	34.16	108.8	35.06
	31	93.3	32.07	96.2	32.67	98.8	33.27	101.6	34.16	104.3	34.76	106.8	35.66
	33	90.6	32.67	93.7	33.27	96.7	34.16	99.5	35.06	102.1	35.66	104.7	36.55
	35	88.0	33.27	91.3	33.86	94.6	35.06	97.4	35.95	99.8	36.55	102.6	37.15
	37	85.5	33.86	88.8	34.46	92.0	35.66	95.0	36.85	97.7	37.45	100.6	38.04
	39	83.1	34.46	86.4	35.36	89.3	36.25	92.5	37.45	95.6	38.04	98.5	38.94
60	27	105.7	34.21	108.8	34.88	111.7	35.54	114.4	36.54	117.2	37.54	119.7	38.21
	29	103.5	34.88	106.5	35.54	109.2	36.21	112.2	37.21	115.1	37.88	117.7	38.87
	31	100.9	35.54	104.1	36.21	106.8	36.88	109.9	37.88	112.9	38.54	115.5	39.54
	33	98.0	36.21	101.4	36.88	104.6	37.88	107.7	38.87	110.4	39.54	113.3	40.54
	35	95.2	36.88	98.8	37.54	102.3	38.87	105.4	39.87	108.0	40.54	111.0	41.20
	37	92.5	37.54	96.1	38.21	99.5	39.54	102.7	40.87	105.7	41.54	108.8	42.20
	39	89.9	38.21	93.4	39.21	96.6	40.21	100.1	41.54	103.5	42.20	106.5	43.20

(i) FDCJ1008HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 807)

(1008 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	77.1	25.86	79.4	26.35	81.5	26.85	83.5	27.59	85.5	28.33	87.4	28.82
	29	75.5	26.35	77.7	26.85	79.7	27.34	81.8	28.08	84.0	28.58	85.9	29.32
	31	73.6	26.85	75.9	27.34	78.0	27.83	80.2	28.58	82.4	29.07	84.3	29.81
	33	71.5	27.34	74.0	27.83	76.3	28.58	78.6	29.32	80.6	29.81	82.7	30.55
	35	69.5	27.83	72.1	28.33	74.7	29.32	76.9	30.06	78.8	30.55	81.0	31.04
	37	67.5	28.33	70.1	28.82	72.6	29.81	75.0	30.80	77.1	31.29	79.4	31.79
	39	65.6	28.82	68.2	29.56	70.5	30.30	73.0	31.29	75.5	31.79	77.7	32.53
60	27	83.5	29.08	85.9	29.64	88.2	30.20	90.4	31.04	92.6	31.88	94.6	32.44
	29	81.7	29.64	84.2	30.20	86.3	30.76	88.6	31.60	90.9	32.16	93.0	33.00
	31	79.7	30.20	82.2	30.76	84.4	31.32	86.8	32.16	89.2	32.72	91.3	33.56
	33	77.4	30.76	80.1	31.32	82.6	32.16	85.0	33.00	87.2	33.56	89.5	34.40
	35	75.2	31.32	78.0	31.88	80.8	33.00	83.3	33.84	85.3	34.40	87.7	34.96
	37	73.1	31.88	75.9	32.44	78.6	33.56	81.2	34.68	83.5	35.24	85.9	35.80
	39	71.0	32.44	73.8	33.28	76.3	34.12	79.1	35.24	81.7	35.80	84.2	36.64

2) 100%容量接続時 (室内ユニット合計容量 : 1008)

(1008 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	96.1	31.45	98.9	32.06	101.5	32.67	104.0	33.58	106.5	34.49	108.8	35.10
	29	94.0	32.06	96.8	32.67	99.2	33.27	101.9	34.19	104.6	34.80	107.0	35.71
	31	91.7	32.67	94.6	33.27	97.1	33.88	99.9	34.80	102.6	35.41	105.0	36.32
	33	89.1	33.27	92.2	33.88	95.0	34.80	97.8	35.71	100.3	36.32	103.0	37.23
	35	86.5	33.88	89.7	34.49	93.0	35.71	95.8	36.62	98.1	37.23	100.9	37.84
	37	84.1	34.49	87.3	35.10	90.4	36.32	93.4	37.54	96.1	38.15	98.9	38.75
	39	81.7	35.10	84.9	36.01	87.8	36.93	91.0	38.15	94.0	38.75	96.8	39.67
60	27	104.1	35.42	107.2	36.11	110.0	36.80	112.7	37.83	115.4	38.87	117.9	39.56
	29	101.9	36.11	104.9	36.80	107.6	37.49	110.5	38.52	113.4	39.21	115.9	40.25
	31	99.4	36.80	102.5	37.49	105.2	38.18	108.3	39.21	111.2	39.90	113.8	40.94
	33	96.6	37.49	99.9	38.18	103.0	39.21	106.0	40.25	108.8	40.94	111.6	41.98
	35	93.7	38.18	97.3	38.87	100.8	40.25	103.8	41.29	106.3	41.98	109.4	42.67
	37	91.1	38.87	94.7	39.56	98.0	40.94	101.2	42.32	104.1	43.01	107.2	43.70
	39	88.5	39.56	92.0	40.60	95.2	41.63	98.6	43.01	101.9	43.70	104.9	44.74

3) 130%容量接続時 (室内ユニット合計容量 : 1311)

(1008 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	103.3	33.22	106.3	33.87	109.1	34.51	111.8	35.48	114.5	36.45	117.0	37.09
	29	101.1	33.87	104.1	34.51	106.7	35.16	109.6	36.13	112.5	36.77	115.0	37.74
	31	98.6	34.51	101.7	35.16	104.4	35.80	107.4	36.77	110.3	37.42	112.9	38.39
	33	95.8	35.16	99.1	35.80	102.2	36.77	105.2	37.74	107.9	38.39	110.7	39.35
	35	93.0	35.80	96.5	36.45	100.0	37.74	103.0	38.71	105.5	39.35	108.5	40.00
	37	90.4	36.45	93.9	37.09	97.2	38.39	100.4	39.68	103.3	40.32	106.3	40.97
	39	87.8	37.09	91.3	38.06	94.4	39.03	97.8	40.32	101.1	40.97	104.1	41.94
60	27	111.9	37.43	115.2	38.16	118.2	38.89	121.1	39.99	124.1	41.09	126.8	41.82
	29	109.6	38.16	112.8	38.89	115.6	39.62	118.8	40.72	121.9	41.45	124.6	42.55
	31	106.8	38.89	110.2	39.62	113.1	40.36	116.4	41.45	119.5	42.19	122.3	43.28
	33	103.8	39.62	107.4	40.36	110.7	41.45	114.0	42.55	116.9	43.28	120.0	44.38
	35	100.8	40.36	104.6	41.09	108.4	42.55	111.6	43.65	114.3	44.38	117.6	45.11
	37	98.0	41.09	101.8	41.82	105.3	43.28	108.8	44.75	111.9	45.48	115.2	46.21
	39	95.1	41.82	98.9	42.92	102.3	44.02	106.0	45.48	109.6	46.21	112.8	47.31

(j) FDCJ1064HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 852)

(1064 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	81.3	27.65	83.7	28.18	85.9	28.71	88.0	29.51	90.1	30.31	92.1	30.84
	29	79.6	28.18	81.9	28.17	84.0	29.24	86.2	30.04	88.5	30.57	90.5	31.37
	31	77.6	28.71	80.0	29.24	82.2	29.78	84.5	30.57	86.8	31.10	88.8	31.90
	33	75.4	29.24	78.0	29.78	80.4	30.57	82.8	31.37	84.9	31.90	87.1	32.69
	35	73.2	29.78	75.9	30.31	78.7	31.37	81.1	32.16	83.0	32.69	85.4	33.23
	37	71.1	30.31	73.9	30.84	76.5	31.90	79.0	32.96	81.3	33.49	83.7	34.02
	39	69.1	30.84	71.8	31.63	74.3	32.43	77.0	33.49	79.6	34.02	81.9	34.82
60	27	88.1	31.54	90.7	32.15	93.1	32.76	95.4	33.67	97.7	34.59	99.8	35.20
	29	86.3	32.15	88.8	32.76	91.1	33.37	93.5	34.29	96.0	34.90	98.1	35.81
	31	84.1	32.76	86.8	33.37	89.1	33.98	91.6	34.90	94.1	35.51	96.3	36.42
	33	81.7	33.37	84.6	33.98	87.2	34.90	89.8	35.81	92.1	36.42	94.5	37.34
	35	79.4	33.98	82.3	34.59	85.3	35.81	87.9	36.73	90.0	37.34	92.6	37.95
	37	77.1	34.59	80.1	35.20	82.9	36.42	85.7	37.64	88.1	38.26	90.7	38.87
	39	74.9	35.20	77.9	36.12	80.6	37.03	83.5	38.26	86.3	38.87	88.8	39.78

2) 100%容量接続時 (室内ユニット合計容量 : 1064)

(1064 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	101.2	33.66	104.2	34.31	106.9	34.97	109.6	35.95	112.2	36.93	114.7	37.59
	29	99.1	34.31	102.0	34.97	104.6	35.62	107.4	36.60	110.3	37.26	112.7	38.24
	31	96.6	34.97	99.7	35.62	102.3	36.28	105.3	37.26	108.1	37.91	110.6	38.89
	33	93.9	35.62	97.1	36.28	100.2	37.26	103.1	38.24	105.7	38.89	108.5	39.88
	35	91.1	36.28	94.6	36.93	98.0	38.24	100.9	39.22	103.4	39.88	106.3	40.53
	37	88.6	36.93	92.0	37.59	95.3	38.89	98.4	40.20	101.2	40.86	104.2	41.51
	39	86.0	37.59	89.5	38.57	92.5	39.55	95.8	40.86	99.1	41.51	102.0	42.49
60	27	109.9	38.45	113.1	39.20	116.1	39.95	119.0	41.08	121.8	42.21	124.5	42.97
	29	107.6	39.20	110.8	39.95	113.5	40.71	116.6	41.84	119.7	42.59	122.4	43.72
	31	104.9	39.95	108.2	40.71	111.1	41.46	114.3	42.59	117.4	43.34	120.1	44.47
	33	101.9	40.71	105.4	41.46	108.7	42.59	111.9	43.72	114.8	44.47	117.8	45.60
	35	99.0	41.46	102.7	42.21	106.4	43.72	109.6	44.85	112.3	45.60	115.4	46.36
	37	96.2	42.21	99.9	42.97	103.4	44.47	106.8	45.98	109.9	46.73	113.1	47.49
	39	93.4	42.97	97.1	44.10	100.4	45.23	104.1	46.73	107.6	47.49	110.8	48.62

3) 130%容量接続時 (室内ユニット合計容量: 1384)

(1064 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	108.8	35.57	112.0	36.26	114.9	36.95	117.8	37.99	120.6	39.03	123.3	39.73
	29	106.5	36.26	109.7	36.95	112.4	37.65	115.5	38.69	118.5	39.38	121.2	40.42
	31	103.9	36.95	107.1	37.65	110.0	38.34	113.1	39.38	116.2	40.07	118.9	41.12
	33	100.9	37.65	104.4	38.34	107.7	39.38	110.8	40.42	113.7	41.12	116.6	42.16
	35	98.0	38.34	101.7	39.03	105.4	40.42	108.5	41.46	111.1	42.16	114.3	42.85
	37	95.2	39.03	98.9	39.73	102.4	41.12	105.8	42.50	108.8	43.20	112.0	43.89
	39	92.5	39.73	96.2	40.77	99.5	41.81	103.0	43.20	106.5	43.89	109.7	44.93
60	27	118.2	40.64	121.6	41.44	124.8	42.24	127.9	43.44	131.0	44.63	133.8	45.43
	29	115.6	41.44	119.1	42.24	122.0	43.04	125.4	44.23	128.7	45.03	131.5	46.23
	31	112.8	42.24	116.3	43.04	119.4	43.84	122.8	45.03	126.2	45.83	129.1	47.03
	33	109.6	43.04	113.4	43.84	116.9	45.03	120.3	46.23	123.4	47.03	126.6	48.23
	35	106.4	43.84	110.4	44.63	114.4	46.23	117.8	47.43	120.7	48.23	124.1	49.02
	37	103.4	44.63	107.4	45.43	111.2	47.03	114.8	48.63	118.2	49.42	121.6	50.22
	39	100.4	45.43	104.4	46.63	108.0	47.83	111.9	49.42	115.6	50.22	119.1	51.42

(k) FDCJ1120HKX2DA

1) 80%容量接続時 (室内ユニット合計容量: 896)

(1120 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	85.4	29.48	87.9	30.05	90.2	30.62	92.5	31.47	94.7	32.32	96.8	32.89
	29	83.6	30.05	86.1	30.62	88.3	31.19	90.6	32.04	93.0	32.61	95.1	33.46
	31	81.6	30.62	84.1	31.19	86.3	31.75	88.8	32.61	91.2	33.17	93.4	34.03
	33	79.2	31.19	82.0	31.75	84.5	32.61	87.0	33.46	89.2	34.03	91.6	34.88
	35	76.9	31.75	79.8	32.32	82.7	33.46	85.2	34.31	87.3	34.88	89.7	35.45
	37	74.8	32.32	77.7	32.89	80.4	34.03	83.0	35.16	85.4	35.73	87.9	36.30
	39	72.6	32.89	75.5	33.74	78.1	34.60	80.9	35.73	83.6	36.30	86.1	37.15
60	27	92.8	34.04	95.5	34.70	98.0	35.36	100.4	36.35	102.8	37.35	105.1	38.01
	29	90.8	34.70	93.5	35.36	95.8	36.02	98.4	37.02	101.1	37.68	103.3	36.67
	31	88.6	35.36	91.4	36.02	93.8	36.68	96.5	37.68	99.1	38.34	101.4	39.33
	33	86.1	36.02	89.0	36.68	91.8	37.68	94.5	38.67	96.9	39.33	99.4	40.33
	35	83.5	36.68	86.7	37.35	89.8	38.67	92.5	39.67	94.8	40.33	97.5	40.99
	37	81.2	37.35	84.3	38.01	87.3	39.33	90.2	40.66	92.8	41.32	95.5	41.98
	39	78.9	38.01	82.0	39.00	84.8	40.00	87.8	41.32	90.8	41.98	93.5	42.98

2) 100%容量接続時 (室内ユニット合計容量: 1120)

(1120 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	106.4	35.87	109.5	36.57	112.4	37.27	115.2	38.32	117.9	39.37	120.5	40.07
	29	104.1	36.57	107.2	37.27	109.9	37.97	112.9	39.02	115.9	39.72	118.5	40.77
	31	101.6	37.27	104.8	37.97	107.5	38.67	110.6	39.72	113.6	40.42	116.3	41.47
	33	98.7	37.97	102.1	38.67	105.3	39.72	108.4	40.77	111.1	41.47	114.0	42.52
	35	95.8	38.67	99.4	39.37	103.0	40.77	106.1	41.82	108.7	42.52	111.8	43.22
	37	93.1	39.37	96.7	40.07	100.1	41.47	103.4	42.87	106.4	43.57	109.5	44.27
	39	90.4	40.07	94.0	41.12	97.2	42.17	100.7	43.57	104.1	44.27	107.2	45.32
60	27	115.7	41.48	119.1	42.30	122.2	43.11	125.2	44.34	128.2	45.56	131.0	46.37
	29	113.2	42.30	116.6	43.11	119.5	43.93	122.8	45.15	126.0	45.97	128.8	47.19
	31	110.4	43.11	113.9	43.93	116.9	44.74	120.3	45.97	123.5	46.78	126.4	48.01
	33	107.3	43.93	111.0	44.74	114.5	45.97	117.8	47.19	120.8	48.01	124.0	49.23
	35	104.2	44.74	108.1	45.56	112.0	47.19	115.4	48.41	118.2	49.23	121.5	50.04
	37	101.2	45.56	105.2	46.37	108.9	48.01	112.4	49.64	115.7	50.45	119.1	51.27
	39	98.3	46.37	102.3	47.60	105.7	48.82	109.5	50.45	113.2	51.27	116.6	52.49

3) 130%容量接続時 (室内ユニット合計容量 : 1456)

(1120 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	114.4	37.91	117.7	38.65	120.8	39.39	123.8	40.51	126.8	41.62	129.5	42.36
	29	111.9	38.65	115.3	39.39	118.1	40.14	121.4	41.25	124.6	41.99	127.3	43.10
	31	109.2	39.39	112.6	40.14	115.6	40.88	118.9	41.99	122.1	42.73	125.0	43.85
	33	106.1	40.14	109.7	40.88	113.2	41.99	116.5	43.10	119.5	43.85	122.6	44.96
	35	103.0	40.88	106.8	41.62	110.7	43.10	114.0	44.22	116.8	44.96	120.1	45.70
	37	100.1	41.62	104.0	42.36	107.6	43.85	111.2	45.33	114.4	46.07	117.7	46.81
	39	97.2	42.36	101.1	43.47	104.5	44.59	108.3	46.07	111.9	46.81	115.3	47.93
60	27	124.4	43.86	128.0	44.72	131.4	45.59	134.6	46.88	137.9	48.18	140.9	49.04
	29	121.7	44.72	125.3	45.59	128.5	46.45	132.0	47.75	135.5	48.61	138.5	49.91
	31	118.7	45.59	122.4	46.45	125.7	47.32	129.3	48.61	132.8	49.48	135.9	50.77
	33	115.3	46.45	119.3	47.32	123.0	48.61	126.7	49.91	129.9	50.77	133.3	52.07
	35	112.0	47.32	116.2	48.18	120.4	49.91	124.0	51.21	127.0	52.07	130.6	52.93
	37	108.8	48.18	113.1	49.04	117.0	50.77	120.9	52.50	124.4	53.37	128.0	54.23
	39	105.7	49.04	109.9	50.34	113.7	51.64	117.8	53.37	121.7	54.23	125.3	55.53

・ 組合せ50Hz専用ユニット仕様

(a) FDCJ500HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 400)

(500 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	41.8	15.30	43.1	15.60	44.2	15.89	45.2	16.34	46.3	16.78	47.4	17.08
	29	40.9	15.60	42.1	15.89	43.2	16.19	44.4	16.63	45.5	16.93	46.5	17.37
	31	39.9	15.89	41.2	16.19	42.3	16.48	43.5	16.93	44.6	17.22	45.7	17.67
	33	38.8	16.19	40.1	16.48	41.4	16.93	42.6	17.37	43.7	17.67	44.8	18.11
	35	37.6	16.48	39.1	16.78	40.5	17.37	41.7	17.81	42.7	18.11	43.9	18.41
	37	36.6	16.78	38.0	17.08	39.3	17.67	40.6	18.26	41.8	18.55	43.0	18.85
	39	35.5	17.08	37.0	17.52	38.2	17.96	39.6	18.55	40.9	18.85	42.1	19.29

2) 100%容量接続時 (室内ユニット合計容量 : 500)

(500 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	52.1	18.65	53.6	19.01	55.0	19.38	56.3	19.92	57.7	20.47	59.0	20.84
	29	51.0	19.01	52.5	19.38	53.8	19.74	55.2	20.29	56.7	20.65	58.0	21.20
	31	49.7	19.38	51.3	19.74	52.6	20.11	54.1	20.65	55.6	21.02	56.9	21.56
	33	48.3	19.74	49.9	20.11	51.5	20.65	53.0	21.20	54.4	21.56	55.8	22.11
	35	46.9	20.11	48.6	20.47	50.4	21.20	51.9	21.75	53.2	21.11	54.7	22.48
	37	45.6	20.47	47.3	20.84	49.0	21.56	50.6	22.29	52.1	22.66	53.6	23.02
	39	44.3	20.84	46.0	21.38	47.6	21.93	49.3	22.66	51.0	23.02	52.5	23.57

3) 130%容量接続時 (室内ユニット合計容量 : 650)

(500 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	56.0	19.17	57.6	20.10	59.1	20.48	60.6	21.06	62.0	21.64	63.4	22.03
	29	54.8	20.10	56.4	20.48	57.8	20.87	59.4	21.45	61.0	21.84	62.3	22.42
	31	53.4	20.48	55.1	20.87	56.6	21.26	58.2	21.84	59.8	22.22	61.2	22.80
	33	51.9	20.87	53.7	21.26	55.4	21.84	57.0	22.42	58.5	22.80	60.0	23.38
	35	50.4	21.26	52.3	21.64	54.2	22.42	55.8	23.00	57.2	23.38	58.8	23.77
	37	49.0	21.64	50.9	22.03	52.7	22.80	54.4	23.58	56.0	23.96	57.6	24.35
	39	47.6	22.03	49.5	22.61	51.1	23.19	53.0	23.96	54.8	24.35	56.4	24.93

(b) FDCJ560HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量: 448)

(560: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	46.5	17.32	47.8	17.66	49.1	18.00	50.3	18.50	51.5	19.01	52.6	19.34
	29	45.5	17.66	46.8	18.00	48.0	18.33	49.3	18.84	50.6	19.18	51.7	19.68
	31	44.3	18.00	45.7	18.33	46.9	18.67	48.3	19.18	49.6	19.51	50.8	20.02
	33	43.1	18.33	44.6	18.67	46.0	19.18	47.3	19.68	48.5	20.02	49.8	20.53
	35	41.8	18.67	43.4	19.01	45.0	19.68	46.3	20.19	47.4	20.53	48.8	20.86
	37	40.7	19.01	42.2	19.34	43.7	20.02	45.1	20.69	46.5	21.03	47.8	21.37
	39	39.5	19.34	41.1	19.85	42.4	20.36	44.0	21.03	45.5	21.37	46.8	21.88

2) 100%容量接続時 (室内ユニット合計容量: 560)

(560: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	57.8	21.14	59.5	21.55	61.1	21.97	62.6	22.59	64.1	23.22	65.5	23.63
	29	56.6	21.55	58.3	21.97	59.8	22.39	61.4	23.01	63.0	23.43	64.4	24.05
	31	55.2	21.97	57.0	22.39	58.5	22.80	60.1	23.43	61.8	23.84	63.2	24.47
	33	53.6	22.39	55.5	22.80	57.2	23.43	58.9	24.05	60.4	24.47	62.0	25.09
	35	52.1	22.80	54.0	23.22	56.0	24.05	57.7	24.67	59.1	25.09	60.8	25.51
	37	50.6	23.22	52.6	23.63	54.4	24.47	56.2	25.30	57.8	25.71	59.5	26.13
	39	49.2	23.63	51.1	24.26	52.9	24.48	54.8	25.71	56.6	26.13	58.3	26.75

3) 130%容量接続時 (室内ユニット合計容量: 728)

(560: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	62.2	22.35	64.0	22.79	65.7	23.23	67.3	23.89	68.9	24.55	70.4	25.00
	29	60.9	22.79	62.7	23.23	64.2	23.67	66.0	24.33	67.7	24.78	69.2	25.44
	31	59.4	23.23	61.2	23.67	62.8	24.11	64.7	24.78	66.4	25.22	68.0	25.88
	33	57.7	23.67	59.7	24.11	61.5	24.78	63.3	25.44	65.0	25.88	66.6	26.54
	35	56.0	24.11	58.1	24.55	60.2	25.44	62.0	26.10	63.5	26.54	65.3	26.98
	37	54.4	24.55	56.5	25.00	58.5	25.88	60.4	26.67	62.2	27.20	64.0	27.64
	39	52.9	25.00	55.0	25.66	56.8	26.32	58.9	27.20	60.9	27.64	62.7	28.30

(c) FDCJ672HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量: 538)

(672: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	55.7	20.55	57.3	20.94	58.8	21.36	60.3	21.92	61.7	22.52	63.1	22.91
	29	54.5	20.94	56.1	21.33	57.5	21.73	59.1	22.32	60.6	22.71	62.0	23.30
	31	53.1	21.33	54.8	21.73	56.3	22.12	57.9	22.71	59.4	23.11	60.8	23.70
	33	51.6	21.73	53.4	22.12	55.1	22.71	56.7	23.30	58.2	23.70	59.7	24.29
	35	50.1	22.12	52.0	22.52	53.9	23.30	55.5	23.90	56.9	24.29	58.5	24.68
	37	48.7	22.52	50.6	22.91	52.4	23.70	54.1	24.49	55.7	24.88	57.3	25.27
	39	47.3	22.91	49.2	23.50	50.9	24.09	52.7	24.88	54.5	25.27	56.1	25.87

2) 100%容量接続時 (室内ユニット合計容量: 672)

(672: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	69.4	25.03	71.4	25.52	73.3	26.01	75.1	26.74	76.9	27.47	78.6	27.95
	29	67.9	25.52	70.0	26.01	71.7	26.49	73.7	27.22	75.6	27.71	77.3	28.44
	31	66.3	26.01	68.3	26.49	70.2	26.98	72.2	27.71	74.1	28.20	75.9	28.93
	33	64.4	26.49	66.6	26.98	68.7	27.71	70.7	28.44	72.5	28.93	74.4	29.66
	35	62.5	26.98	64.8	27.47	67.2	28.44	69.2	29.17	70.9	29.66	72.9	30.14
	37	60.7	27.47	63.1	27.95	65.3	28.93	67.5	29.90	69.4	30.39	71.4	30.87
	39	59.0	27.95	61.4	29.68	63.4	29.41	65.7	30.39	67.9	30.87	70.0	31.60

3) 130%容量接続時 (室内ユニット合計容量 : 874)

(672 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	74.6	26.45	76.8	26.97	78.8	27.48	80.8	28.26	82.7	29.03	84.5	29.55
	29	73.0	26.97	75.2	27.48	77.1	28.00	79.2	28.77	81.3	29.29	83.1	30.06
	31	71.2	27.48	73.5	28.00	75.4	28.51	77.6	29.29	79.7	29.80	81.6	30.58
	33	69.2	28.00	71.6	28.51	73.8	29.29	76.0	30.06	77.9	30.58	80.0	31.35
	35	67.2	28.51	69.7	29.03	72.2	30.06	74.4	30.84	76.2	31.35	78.4	31.87
	37	65.3	29.03	67.8	29.55	70.2	30.58	72.5	31.61	74.6	32.12	76.8	32.64
	39	63.4	29.55	66.0	30.32	68.2	31.09	70.7	32.12	73.0	32.64	75.2	33.41

(d) FDCJ728HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 583)

(728 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	60.3	22.00	62.1	22.43	63.7	22.85	65.3	23.49	66.9	24.12	68.3	24.55
	29	59.0	22.43	60.8	22.85	62.3	23.27	64.0	23.91	65.7	24.33	67.1	24.97
	31	57.6	22.85	59.4	23.27	61.0	23.70	62.7	24.33	64.4	24.76	65.9	25.39
	33	55.9	23.27	57.9	23.70	59.7	24.33	61.4	24.97	63.0	24.39	64.6	26.03
	35	54.3	23.70	56.3	24.12	58.4	24.97	60.1	25.61	61.6	26.03	63.3	26.45
	37	52.8	24.12	54.8	24.55	56.8	25.39	58.6	26.24	60.3	26.67	62.1	27.09
	39	51.3	24.55	53.3	25.18	55.1	25.82	57.1	26.67	59.0	27.09	60.8	27.73

2) 100%容量接続時 (室内ユニット合計容量 : 728)

(728 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	75.2	26.80	77.4	27.32	79.4	27.85	81.4	28.63	83.4	29.41	85.2	29.94
	29	73.6	27.32	75.8	27.85	77.7	28.37	79.8	29.15	81.9	29.68	83.7	30.46
	31	71.8	27.85	74.0	28.37	76.0	28.89	78.2	29.68	80.3	30.20	82.2	30.98
	33	69.7	28.37	72.1	28.89	74.4	29.68	76.6	30.46	78.6	30.98	80.6	31.77
	35	67.7	28.89	70.3	29.41	72.8	30.46	75.0	31.24	76.8	31.77	79.0	32.29
	37	65.8	29.41	68.4	29.94	70.8	30.98	73.1	32.03	75.2	32.55	77.4	33.07
	39	63.9	29.94	66.5	30.72	68.7	31.15	71.2	32.55	73.6	33.07	75.8	33.86

3) 130%容量接続時 (室内ユニット合計容量 : 947)

(728 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	80.8	28.32	83.2	28.88	85.4	29.43	87.5	30.26	89.6	31.09	91.6	31.65
	29	79.1	28.88	81.5	29.43	83.5	29.99	85.8	30.86	88.0	31.37	90.0	32.20
	31	77.2	29.43	79.6	29.99	81.7	30.54	84.1	31.37	86.3	31.93	88.4	32.76
	33	75.0	29.99	77.6	30.54	80.0	31.37	82.3	32.20	84.4	32.76	86.6	33.59
	35	72.8	30.54	75.5	31.09	78.3	32.20	80.6	33.03	82.6	33.59	84.9	34.14
	37	70.7	31.09	73.5	31.65	76.1	32.76	78.6	33.87	80.8	34.42	83.2	34.97
	39	68.7	31.65	71.5	32.48	73.9	33.31	76.5	34.42	79.1	34.97	81.5	35.81

(e) FDCJ784HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 628)

(784 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	65.0	23.97	66.8	24.43	68.6	24.89	70.3	25.59	72.0	26.29	73.6	26.75
	29	63.6	24.43	65.5	24.89	67.1	25.36	68.9	26.06	70.7	26.52	72.3	27.22
	31	62.0	24.89	63.9	25.36	65.6	25.82	67.5	26.52	69.4	26.98	71.0	27.68
	33	60.2	25.36	62.3	25.82	64.3	26.65	66.1	27.22	67.8	27.68	69.6	28.38
	35	58.5	25.82	60.7	26.29	62.9	27.22	64.8	27.91	66.3	28.38	68.2	28.84
	37	56.8	26.29	59.0	26.75	61.1	27.68	63.1	28.61	65.0	29.08	66.8	29.54
	39	55.2	26.75	57.4	27.45	59.4	28.15	61.5	29.08	63.6	29.54	65.5	30.24

2) 100%容量接続時 (室内ユニット合計容量 : 784)

(784 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	81.0	29.29	83.3	29.86	85.5	30.44	87.7	31.30	89.8	32.16	91.7	32.74
	29	79.3	29.86	81.6	30.44	83.7	31.01	85.9	31.87	88.2	33.45	90.2	33.31
	31	77.3	30.44	79.7	31.01	81.8	31.59	84.2	32.45	86.5	33.02	88.5	33.88
	33	75.1	31.01	77.7	31.59	80.1	32.54	82.5	33.31	84.6	33.88	86.8	34.75
	35	72.9	31.59	75.7	32.16	78.4	33.31	80.8	34.17	82.7	34.75	85.1	35.32
	37	70.9	32.16	73.6	32.74	76.2	33.88	78.7	35.03	81.0	35.61	83.3	36.18
	39	68.8	32.74	71.6	33.60	74.0	34.46	76.7	35.61	79.3	36.18	81.6	37.04

3) 130%容量接続時 (室内ユニット合計容量 : 1020)

(784 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	87.1	30.96	89.6	31.57	91.9	32.18	94.2	33.09	96.5	34.01	98.6	34.62
	29	85.2	31.57	87.7	32.18	89.9	32.79	92.4	33.70	94.8	34.31	96.9	35.22
	31	83.1	32.18	85.7	32.79	88.0	33.40	90.5	34.31	93.0	34.92	95.2	35.83
	33	80.7	32.79	83.5	33.40	86.1	34.31	88.7	35.22	90.9	35.83	93.3	36.75
	35	78.4	33.40	81.3	34.01	84.3	35.22	86.8	36.14	88.9	36.75	91.4	37.35
	37	76.2	34.01	79.1	34.62	81.9	35.83	84.6	37.05	87.1	37.66	89.6	37.27
	39	74.0	34.62	76.9	35.53	79.6	36.44	82.4	37.66	85.2	37.27	87.7	39.18

(f) FDCJ840HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 672)

(840 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	69.6	25.95	71.6	26.46	73.5	26.96	75.3	27.72	77.1	27.48	78.8	28.98
	29	68.1	26.46	70.1	26.96	71.9	27.47	73.8	28.22	75.8	28.73	77.5	29.49
	31	66.4	26.96	68.5	27.47	70.3	27.97	72.4	28.73	74.3	29.24	76.1	29.99
	33	64.5	27.47	66.8	27.97	68.9	28.73	70.9	29.49	72.7	29.99	74.6	30.75
	35	62.7	27.97	65.0	28.48	67.4	29.49	69.4	30.25	71.1	30.75	73.1	31.26
	37	60.9	28.48	63.3	28.98	65.5	29.99	67.7	31.00	69.6	31.51	71.6	32.02
	39	59.1	28.98	61.5	29.74	63.6	30.50	65.9	31.51	68.1	32.02	70.1	32.77

2) 100%容量接続時 (室内ユニット合計容量 : 840)

(840 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	86.8	31.78	89.3	32.41	91.6	33.03	93.9	33.97	96.2	34.91	98.3	35.53
	29	84.9	32.41	87.4	33.03	89.6	33.66	92.1	34.60	94.5	35.22	96.6	36.16
	31	82.8	33.03	85.4	33.66	87.7	34.28	90.2	35.22	92.7	35.85	94.8	36.79
	33	80.5	33.66	83.2	34.28	85.8	35.22	88.4	36.16	90.6	36.79	93.0	37.72
	35	78.1	34.28	81.1	34.91	84.0	36.16	86.5	37.10	88.6	37.72	91.1	38.35
	37	75.9	31.69	78.9	35.53	81.6	36.79	84.3	38.04	86.8	38.66	89.3	39.29
	39	73.8	32.26	76.7	36.47	79.3	37.41	82.2	38.66	84.9	39.29	87.4	40.23

3) 130%容量接続時 (室内ユニット合計容量 : 1092)

(840 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	93.3	33.60	96.0	34.27	98.5	34.93	101.0	35.92	103.4	36.92	105.7	37.58
	29	91.3	34.27	94.0	34.93	96.4	35.59	99.0	36.59	101.6	37.25	103.8	38.25
	31	89.0	34.93	91.8	35.59	94.3	36.26	97.0	37.25	99.6	37.91	101.9	38.91
	33	86.5	35.59	89.5	36.26	92.3	37.25	95.0	38.25	97.4	38.91	100.0	39.90
	35	84.0	36.26	87.1	36.92	90.3	38.25	93.0	39.24	95.3	39.90	98.0	40.57
	37	81.6	36.92	84.8	37.58	87.8	38.91	90.7	40.23	93.3	40.90	96.0	41.56
	39	79.3	37.58	82.4	38.58	85.2	39.57	88.3	40.90	91.3	41.56	94.0	42.55

(g) FDCJ896HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 717)

(896 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	74.2	27.24	76.4	27.76	78.4	28.28	80.3	29.07	82.3	29.85	84.1	30.37
	29	72.6	27.76	74.8	28.28	76.7	28.81	78.8	29.59	80.8	30.11	82.6	30.89
	31	70.9	28.28	73.1	28.81	75.0	29.33	77.2	30.11	79.3	30.63	81.1	31.42
	33	68.8	28.81	71.2	29.33	73.4	30.11	75.6	30.89	77.5	31.42	79.5	32.20
	35	66.8	29.33	69.3	29.85	71.9	30.89	74.0	31.68	75.8	32.20	78.0	32.72
	37	65.0	29.85	67.5	30.37	69.8	31.42	72.1	32.46	74.2	32.98	76.4	33.51
	39	63.1	30.37	65.6	31.16	67.8	31.94	70.3	32.98	72.6	33.51	74.8	34.29

2) 100%容量接続時 (室内ユニット合計容量 : 896)

(896 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	92.6	33.19	95.2	33.83	97.8	34.48	100.2	35.44	102.6	36.41	104.8	37.06
	29	90.6	33.83	93.3	34.48	95.6	35.12	98.2	36.09	100.8	36.73	103.0	37.70
	31	88.3	34.48	91.1	35.12	93.5	35.77	96.2	36.73	98.8	37.38	101.2	38.34
	33	85.8	35.12	88.8	35.77	91.6	36.73	94.3	37.70	96.7	38.34	99.2	39.31
	35	83.3	35.77	86.5	36.41	89.6	37.70	92.3	38.67	94.5	39.31	97.2	39.96
	37	81.0	36.41	84.1	37.06	87.1	38.34	90.0	39.63	92.6	40.28	95.2	40.92
	39	78.7	37.06	81.8	38.02	84.6	38.99	87.6	40.28	90.6	40.92	93.3	41.89

3) 130%容量接続時 (室内ユニット合計容量 : 1165)

(896 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	99.5	35.07	102.4	35.75	105.1	36.43	107.7	37.46	110.3	38.48	112.7	39.17
	29	97.4	35.75	100.3	36.43	102.8	37.12	105.6	38.14	108.4	38.82	110.8	39.85
	31	95.0	36.43	98.0	37.12	100.6	37.80	103.4	38.82	106.2	39.51	108.7	40.53
	33	92.3	37.12	95.5	37.80	98.4	38.82	101.3	39.85	103.9	40.53	106.6	41.56
	35	89.6	37.80	92.9	38.48	96.3	39.85	99.2	40.87	101.6	41.56	104.5	42.24
	37	87.1	38.48	90.4	39.17	93.6	40.53	96.7	41.90	99.5	42.58	102.4	43.27
	39	84.6	39.17	87.9	40.19	90.9	41.22	94.2	42.58	97.4	43.27	100.3	44.29

(h) FDCJ952HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 762)

(952 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	78.9	28.70	81.2	29.25	83.3	29.81	85.4	30.63	87.4	31.46	89.3	32.02
	29	77.2	29.25	79.5	29.81	81.5	30.36	83.7	31.19	85.9	31.74	87.8	32.57
	31	75.3	29.81	77.6	30.36	79.7	30.91	82.0	31.74	84.2	32.29	86.2	33.12
	33	73.1	30.36	75.7	30.91	78.0	31.74	80.3	32.57	82.4	33.12	84.5	33.95
	35	71.0	30.91	73.7	31.46	76.4	32.57	78.6	33.40	80.5	33.95	82.8	34.50
	37	69.0	31.46	71.7	32.02	74.2	33.12	76.7	34.23	78.9	34.78	81.2	35.33
	39	67.0	32.02	69.7	32.84	72.1	33.67	74.7	34.78	77.2	35.33	79.5	36.16

2) 100%容量接続時 (室内ユニット合計容量 : 952)

(952 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	98.3	34.95	101.2	35.63	103.9	36.31	106.4	37.34	109.0	38.36	111.4	39.04
	29	96.2	35.63	99.1	36.31	101.6	37.00	104.3	38.02	107.1	38.70	109.5	39.72
	31	93.9	36.31	96.8	37.00	99.4	37.68	102.2	38.70	105.0	39.38	107.5	40.40
	33	91.2	37.00	94.3	37.68	97.3	38.70	100.2	39.72	102.7	40.40	105.4	41.42
	35	88.5	37.68	91.9	38.36	95.2	39.72	98.1	40.74	100.4	41.42	103.3	42.10
	37	86.1	38.36	89.4	39.04	92.5	40.40	95.6	41.76	98.3	42.44	101.2	43.13
	39	83.6	39.04	86.9	40.06	89.9	41.08	93.1	42.44	96.2	43.13	99.1	44.15

3) 130%容量接続時 (室内ユニット合計容量: 1238)

(952: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	105.7	36.94	108.8	37.66	111.7	38.38	114.4	39.46	117.2	40.55	119.7	41.27
	29	103.5	37.66	106.5	38.38	109.2	39.10	112.2	40.19	115.1	40.91	117.7	41.99
	31	100.9	38.38	104.1	39.10	106.8	39.82	109.9	40.91	112.9	41.63	115.5	42.71
	33	98.0	39.10	101.4	39.82	104.6	40.91	107.7	41.99	110.4	42.71	113.3	43.80
	35	95.2	39.82	98.8	40.55	102.3	41.99	105.4	43.07	108.0	43.80	111.0	44.52
	37	92.5	40.55	96.1	41.27	99.5	42.71	102.7	44.16	105.7	44.88	108.8	45.60
	39	89.9	41.27	93.4	42.35	96.6	43.43	100.1	44.88	103.5	45.60	106.5	46.68

(i) FDCJ1008HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量: 807)

(1008: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	83.5	30.65	85.9	31.24	88.2	31.84	90.4	32.72	92.6	33.61	94.6	34.21
	29	81.7	31.24	84.2	31.84	86.3	32.43	88.6	33.32	90.9	33.91	93.0	34.80
	31	79.7	31.84	82.2	32.43	84.4	33.02	86.8	33.91	89.2	34.50	91.3	35.39
	33	77.4	32.43	80.1	33.02	82.6	33.91	85.0	34.80	87.2	35.39	89.5	36.28
	35	75.2	33.02	78.0	33.61	80.8	34.80	83.3	35.69	85.3	36.28	87.7	36.87
	37	73.1	33.61	75.9	34.21	78.6	35.39	81.2	36.58	83.5	37.17	85.9	37.76
	39	71.0	34.21	73.8	35.09	76.3	35.98	79.1	37.17	81.7	37.76	84.2	38.65

2) 100%容量接続時 (室内ユニット合計容量: 1008)

(1008: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	104.1	37.44	107.2	38.18	110.0	38.91	112.7	40.01	115.4	41.11	117.9	41.84
	29	101.9	38.18	104.9	38.91	107.6	39.64	110.5	40.74	113.4	41.47	115.9	42.57
	31	99.4	38.91	102.5	39.64	105.2	40.37	108.3	41.47	111.2	42.20	113.8	43.30
	33	96.6	39.64	99.9	40.37	103.0	41.47	106.0	42.57	108.8	43.30	111.6	44.40
	35	93.7	40.37	97.3	41.11	100.8	42.57	103.8	43.67	106.3	44.40	109.4	45.13
	37	91.1	41.11	94.7	41.84	98.0	43.30	101.2	44.77	104.1	45.50	107.2	46.23
	39	88.5	41.84	92.0	42.94	95.2	44.03	98.6	45.50	101.9	46.23	104.9	47.33

3) 130%容量接続時 (室内ユニット合計容量: 1311)

(1008: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	111.9	39.58	115.2	40.35	118.2	41.13	121.1	42.29	124.1	43.46	126.8	44.24
	29	109.6	40.35	112.8	41.13	115.6	41.91	118.8	43.07	121.9	43.85	124.6	45.01
	31	106.8	41.13	110.2	41.91	113.1	42.68	116.4	43.85	119.5	44.62	122.3	45.79
	33	103.8	41.91	107.4	42.68	110.7	43.85	114.0	45.01	116.9	45.79	120.0	46.95
	35	100.8	42.68	104.6	43.46	108.4	45.01	111.6	46.18	114.3	46.95	117.6	47.73
	37	98.0	43.46	101.8	44.24	105.3	45.79	108.8	47.34	111.9	48.12	115.2	48.89
	39	95.1	44.24	98.9	45.40	102.3	46.56	106.0	48.12	109.6	48.89	112.8	50.06

(j) FDCJ1064HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量: 852)

(1064: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	88.1	32.67	90.7	33.30	93.1	33.93	95.4	34.88	97.7	35.84	99.8	36.47
	29	86.3	33.30	88.8	33.93	91.1	34.57	93.5	35.52	96.0	36.15	98.1	37.10
	31	84.1	33.93	86.8	34.57	89.1	35.20	91.6	36.15	94.1	36.79	96.3	37.74
	33	81.7	34.57	84.6	35.20	87.2	36.15	89.8	37.10	92.1	37.74	94.5	38.69
	35	79.4	35.20	82.3	35.84	85.3	37.10	87.9	38.05	90.0	38.69	92.6	39.32
	37	77.1	35.84	80.1	36.47	82.9	37.74	85.7	39.10	88.1	39.64	90.7	40.27
	39	74.9	36.47	77.9	37.42	80.6	38.37	83.5	39.64	86.3	40.27	88.8	41.23

2) 100%容量接続時 (室内ユニット合計容量: 1064)

(1064: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	109.9	39.93	113.1	40.72	116.1	41.50	119.0	42.68	121.8	43.85	124.5	44.64
	29	107.6	40.72	110.8	41.50	113.5	42.29	116.6	43.46	119.7	44.24	122.4	45.42
	31	104.9	41.50	108.2	42.29	111.1	43.07	114.3	44.24	117.4	45.03	120.1	46.20
	33	101.9	42.29	105.4	43.07	108.7	44.24	111.9	45.42	114.8	46.20	117.8	47.38
	35	99.0	43.07	102.7	43.85	106.4	45.42	109.6	46.60	112.3	47.38	115.4	48.16
	37	96.2	43.85	99.9	44.64	103.4	46.20	106.8	47.77	109.9	48.55	113.1	49.34
	39	93.4	44.64	97.1	45.81	100.4	46.99	104.1	48.55	107.6	49.34	110.8	50.51

3) 130%容量接続時 (室内ユニット合計容量: 1384)

(1064: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	118.2	42.22	121.6	43.05	124.8	43.88	127.9	45.12	131.0	46.37	133.8	47.20
	29	115.6	43.05	119.1	43.88	122.0	44.71	125.4	45.96	128.7	46.79	131.5	48.03
	31	112.8	43.88	116.3	44.71	119.4	45.54	122.8	46.79	126.2	47.62	129.1	48.86
	33	109.6	44.71	113.4	45.54	116.9	46.79	120.3	48.03	123.4	48.86	126.6	50.11
	35	106.4	45.54	110.4	46.37	114.4	48.03	117.8	49.28	120.7	50.11	124.1	50.94
	37	103.4	46.37	107.4	47.20	111.2	48.86	114.8	50.52	118.2	51.36	121.6	52.19
	39	100.4	47.20	104.4	48.45	108.0	49.69	111.9	51.36	115.6	52.19	119.1	53.43

(k) FDCJ1120HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量: 896)

(1120: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	92.8	34.64	95.5	35.31	98.0	35.99	100.4	37.00	102.8	38.01	105.1	38.69
	29	90.8	35.31	93.5	35.99	95.8	36.66	98.4	37.68	101.1	38.35	103.3	39.36
	31	88.6	35.99	91.4	36.66	93.8	37.34	96.5	38.35	99.1	39.03	101.4	40.04
	33	86.1	36.66	89.0	37.34	91.8	38.35	94.5	39.36	96.9	40.04	99.4	41.05
	35	83.5	37.34	86.7	38.01	89.8	39.36	92.5	40.38	94.8	41.05	97.5	41.72
	37	81.2	38.01	84.3	38.69	87.3	40.04	90.2	41.39	92.8	42.06	95.5	42.74
	39	78.9	38.69	82.0	39.70	84.8	40.71	87.8	42.06	90.8	42.74	93.5	43.75

2) 100%容量接続時 (室内ユニット合計容量: 1120)

(1120: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	115.7	42.42	119.1	43.26	122.2	44.09	125.2	45.35	128.2	46.60	131.0	47.43
	29	113.2	43.26	116.6	44.09	119.5	44.93	122.8	46.18	126.0	47.02	128.8	48.27
	31	110.4	44.09	113.9	44.93	116.9	45.76	120.3	47.02	123.5	47.85	126.4	49.11
	33	107.3	44.93	111.0	45.76	114.5	47.02	117.8	48.27	120.8	49.11	124.0	50.36
	35	104.2	45.76	108.1	46.60	112.0	48.27	115.4	49.52	118.2	50.36	121.5	51.19
	37	101.2	46.60	105.2	47.43	108.9	49.11	112.4	50.78	115.7	51.61	119.1	52.45
	39	98.3	47.43	102.3	48.69	105.7	49.94	109.5	51.61	113.2	52.45	116.6	53.70

3) 130%容量接続時 (室内ユニット合計容量: 1456)

(1120: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	124.4	44.86	128.0	45.74	131.4	46.63	134.6	47.96	137.9	49.28	140.9	50.17
	29	121.7	45.74	125.3	46.63	128.5	47.51	132.0	48.84	135.5	49.73	138.5	51.05
	31	118.7	46.63	122.4	47.51	125.7	48.40	129.3	49.73	132.8	50.61	135.9	51.94
	33	115.3	47.51	119.3	48.40	123.0	49.73	126.7	51.05	129.9	51.94	133.3	53.27
	35	112.0	48.40	116.2	49.28	120.4	51.05	124.0	52.38	127.0	53.27	130.6	54.15
	37	108.8	49.28	113.1	50.17	117.0	51.94	120.9	53.71	124.4	54.59	128.0	55.48
	39	105.7	50.17	109.9	51.50	113.7	52.82	117.8	54.59	121.7	55.48	125.3	56.81

・冷媒R407C仕様

(a) FDCP500HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 400)

(500 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	39.9	14.00	41.0	14.27	42.1	14.54	43.1	14.94	44.2	15.35	45.2	15.62
	29	39.0	14.27	40.2	14.54	41.2	14.81	42.3	15.21	43.4	15.48	44.4	15.89
	31	38.1	14.54	39.2	14.81	40.3	15.08	41.4	15.48	42.6	15.75	43.6	16.15
	33	37.0	14.81	38.2	15.08	39.4	15.48	40.6	15.89	41.6	16.15	42.7	16.56
	35	35.9	15.08	37.2	15.35	38.6	15.89	39.7	16.29	40.7	16.56	41.9	16.83
	37	34.9	15.35	36.2	15.62	37.5	16.15	38.7	16.69	39.9	16.96	41.0	17.23
	39	33.9	15.62	35.2	16.02	36.4	16.42	37.7	16.96	39.0	17.23	40.2	17.63
60	27	41.9	14.89	43.1	15.18	44.2	15.47	45.3	15.90	46.4	16.33	47.4	16.62
	29	41.0	15.18	42.2	15.47	43.2	15.75	44.4	16.18	45.6	16.47	46.6	16.90
	31	40.0	14.47	41.2	15.75	42.3	16.04	43.5	16.47	44.7	16.76	45.7	17.19
	33	38.8	15.75	40.2	16.04	41.4	16.47	42.6	16.90	43.7	17.19	44.9	17.62
	35	37.7	16.04	39.1	16.33	40.5	16.90	41.7	17.33	42.8	17.62	44.0	17.91
	37	36.6	16.33	38.0	16.62	39.4	17.19	40.7	17.76	41.9	18.05	43.1	18.34
	39	35.6	16.62	37.0	17.05	38.3	17.48	39.6	18.05	41.0	18.34	42.2	18.77

2) 100%容量接続時 (室内ユニット合計容量 : 500)

(500 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	49.6	16.99	51.0	17.32	52.4	17.65	53.7	18.14	55.0	18.64	56.2	18.97
	29	48.5	17.32	50.0	17.65	51.2	17.98	52.6	18.47	54.0	18.80	55.2	19.30
	31	47.3	17.65	48.8	17.98	50.1	18.31	51.6	18.80	52.9	19.13	54.2	19.63
	33	46.0	17.98	47.6	18.31	49.1	18.80	50.5	19.30	51.8	19.63	53.1	20.13
	35	44.6	18.31	46.3	18.64	48.0	19.30	49.4	19.80	50.6	20.13	52.1	20.46
	37	43.4	18.64	45.1	18.97	46.7	19.63	48.2	20.29	49.6	20.62	51.0	20.95
	39	42.1	18.97	43.8	19.47	45.3	19.96	46.9	20.62	48.5	20.95	50.0	21.45
60	27	52.1	18.08	53.6	18.43	55.0	18.79	56.3	19.31	57.7	19.84	59.0	20.20
	29	51.0	18.43	52.5	18.79	53.8	19.14	55.2	19.67	56.7	20.02	58.0	20.55
	31	49.7	18.79	51.3	19.14	52.6	19.49	54.1	20.02	55.6	20.37	56.9	20.90
	33	48.3	19.14	49.9	19.49	51.5	20.02	53.0	20.55	54.4	20.90	55.8	21.43
	35	46.9	19.49	48.6	19.84	50.4	20.55	51.9	21.08	53.2	21.43	54.7	21.79
	37	45.6	19.84	47.3	20.20	49.0	20.90	50.6	21.61	52.1	21.96	53.6	22.31
	39	44.3	20.20	46.0	20.73	47.6	21.26	49.3	21.96	51.0	22.31	52.5	22.84

3) 130%容量接続時 (室内ユニット合計容量 : 650)

(500 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	53.3	17.95	54.9	18.30	56.3	18.65	57.7	19.18	59.1	19.70	60.4	20.05
	29	52.2	18.30	53.7	18.65	55.1	19.00	56.6	19.53	58.1	19.88	59.3	20.40
	31	50.9	18.65	52.5	19.00	53.9	19.35	55.4	19.88	56.9	20.23	58.3	20.75
	33	49.4	19.00	51.1	19.35	52.7	19.88	54.3	20.40	55.7	20.75	57.1	21.28
	35	48.0	19.35	49.8	19.70	51.6	20.40	53.1	20.93	54.4	21.28	56.0	21.63
	37	46.6	19.70	48.5	20.05	50.2	20.75	51.8	21.45	53.3	21.80	54.9	22.15
	39	45.3	20.05	47.1	20.58	48.7	21.10	50.5	21.80	52.2	22.15	53.7	22.68
60	27	56.0	19.11	57.6	19.48	59.1	19.86	60.6	20.42	62.0	20.98	63.4	21.35
	29	54.8	19.48	56.4	19.86	57.8	20.23	59.4	20.79	61.0	21.17	62.3	21.73
	31	53.4	19.86	55.1	20.23	56.6	20.60	58.2	21.17	59.8	21.54	61.2	22.10
	33	51.9	20.23	53.7	20.60	55.4	21.17	57.0	21.73	58.5	22.10	60.0	22.66
	35	50.4	20.60	52.3	20.98	54.2	21.73	55.8	22.29	57.2	22.66	58.8	23.04
	37	49.0	20.98	50.9	21.35	52.7	22.10	54.4	22.85	56.0	23.22	57.6	23.60
	39	47.6	21.35	49.5	21.91	51.1	22.47	53.0	23.22	54.8	23.60	56.4	24.16

(b) FDCP560HKX2DA

1) 80%容量接続時 (室内ユニット合計容量: 448)

(560: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	44.0	15.82	45.3	16.12	46.5	16.43	47.6	16.89	48.8	17.35	49.9	17.66
	29	43.1	16.12	44.4	16.43	45.5	16.74	46.7	17.20	47.9	17.50	49.0	17.96
	31	42.0	16.43	43.3	16.74	44.5	17.04	45.8	17.50	47.0	17.81	48.1	18.27
	33	40.8	16.74	42.2	17.04	43.5	17.50	44.8	17.96	46.0	18.27	47.2	18.73
	35	39.6	17.04	41.1	17.35	42.6	17.96	43.9	18.42	45.0	18.73	46.2	19.04
	37	38.5	17.35	40.0	17.66	41.4	18.27	42.8	18.88	44.0	19.19	45.3	19.49
	39	37.4	17.66	38.9	18.12	40.2	18.58	41.7	19.19	43.1	19.49	44.4	19.95
60	27	46.5	17.40	47.9	17.74	49.1	18.08	50.3	18.59	51.6	19.09	52.7	19.43
	29	45.5	17.74	46.9	18.08	48.0	18.42	49.3	18.92	50.7	19.26	51.8	19.77
	31	44.4	18.08	45.8	18.42	47.0	18.75	48.4	19.26	49.7	19.60	50.8	20.11
	33	43.1	18.42	44.6	18.75	46.0	19.26	47.4	19.77	48.6	20.11	49.8	20.62
	35	41.9	18.75	43.4	19.09	45.0	19.77	46.4	20.28	47.5	20.62	48.9	20.96
	37	40.7	19.09	42.3	19.43	43.8	20.11	45.2	20.79	46.5	21.13	47.9	21.47
	39	39.5	19.43	41.1	19.94	42.5	20.45	44.0	21.13	45.5	21.47	46.9	21.97

2) 100%容量接続時 (室内ユニット合計容量: 560)

(560: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	54.7	19.29	56.3	19.66	57.8	20.04	59.3	20.61	60.7	21.17	62.0	21.55
	29	53.6	19.66	55.2	20.04	56.6	20.42	58.1	20.99	59.6	21.36	61.0	21.93
	31	52.3	20.04	53.9	20.42	55.3	20.80	56.9	21.36	58.5	21.74	59.8	22.31
	33	50.8	20.42	52.5	20.80	54.2	21.36	55.8	21.93	57.2	22.31	58.7	22.87
	35	49.3	20.80	51.1	21.17	53.0	21.93	54.6	22.50	55.9	22.87	57.5	23.25
	37	47.9	21.17	49.8	21.55	51.5	22.31	53.2	23.06	54.7	23.44	56.3	23.82
	39	46.5	21.55	48.4	22.12	50.0	22.69	51.8	23.44	53.6	23.82	55.2	24.39
60	27	57.8	21.23	59.5	21.65	61.1	22.07	62.6	22.70	64.1	23.32	65.5	23.74
	29	56.6	21.65	58.3	22.07	59.8	22.49	61.4	23.12	63.0	23.53	64.4	24.16
	31	55.2	22.07	57.0	22.49	58.5	22.91	60.1	23.53	61.8	23.95	63.2	24.58
	33	53.6	22.49	55.5	22.91	57.2	23.53	58.9	24.16	60.4	24.58	62.0	25.20
	35	52.1	22.91	54.0	23.32	56.0	24.16	57.7	24.79	59.1	25.20	60.8	25.62
	37	50.6	23.32	52.6	23.74	54.4	24.58	56.2	25.41	57.8	25.83	59.5	26.25
	39	49.2	23.74	51.1	24.37	52.9	25.00	54.8	25.83	56.6	26.25	58.3	26.88

3) 130%容量接続時 (室内ユニット合計容量: 728)

(560: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	58.9	20.39	60.6	20.79	62.2	21.19	63.7	21.79	65.2	22.39	66.7	22.79
	29	57.6	20.79	59.3	21.19	60.8	21.59	62.4	22.19	64.1	22.59	65.5	23.19
	31	56.2	21.19	57.9	21.59	59.5	21.99	61.2	22.59	62.8	22.99	64.3	23.59
	33	54.6	21.59	56.5	21.99	58.2	22.59	59.9	23.19	61.5	23.59	63.1	24.19
	35	53.0	21.99	55.0	22.39	57.0	23.19	58.7	23.79	60.1	24.19	61.8	24.59
	37	51.5	22.39	53.5	22.79	55.4	23.59	57.2	24.39	58.9	24.79	60.6	25.19
	39	50.0	22.79	52.0	23.39	53.8	23.99	55.7	24.79	57.6	25.19	59.3	25.79
60	27	62.2	22.45	64.0	22.89	65.7	23.34	67.3	24.00	68.9	24.67	70.4	25.11
	29	60.9	22.89	62.7	23.34	64.2	23.78	66.0	24.45	67.7	24.89	69.2	25.55
	31	59.4	23.34	61.2	23.78	62.8	24.22	64.7	24.89	66.4	25.33	68.0	26.00
	33	57.7	23.78	59.7	24.22	61.5	24.89	63.3	25.55	65.0	26.00	66.6	26.66
	35	56.0	24.22	58.1	24.67	60.2	25.55	62.0	26.22	63.5	26.66	65.3	27.10
	37	54.4	24.67	56.5	25.11	58.5	26.00	60.4	26.88	62.2	27.33	64.0	27.77
	39	52.9	25.11	55.0	25.77	56.8	26.44	58.9	27.33	60.9	27.77	62.7	28.43

(c) FDCP672HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 538)

(672 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	51.8	17.94	53.3	18.28	54.7	18.62	56.0	19.14	57.4	19.65	58.6	19.99
	29	50.7	18.28	52.2	18.62	53.5	18.97	54.9	19.48	56.4	19.82	57.6	20.33
	31	49.4	18.62	51.0	18.97	52.3	19.31	53.8	19.82	55.3	20.16	56.6	20.67
	33	48.0	18.97	49.7	19.31	51.2	19.82	52.7	20.33	54.1	20.67	55.5	21.18
	35	46.6	19.31	48.4	19.65	50.1	20.33	51.6	20.84	52.9	21.18	54.4	21.52
	37	45.3	19.65	47.1	19.99	48.7	20.67	50.3	21.35	51.8	21.69	53.3	22.03
	39	44.0	19.99	45.7	20.50	47.3	21.01	49.0	21.69	50.7	22.03	52.2	22.54
60	27	55.7	19.72	57.3	20.09	58.8	20.47	60.3	21.03	61.7	21.60	63.1	21.98
	29	54.5	20.09	56.1	20.47	57.5	20.85	59.1	21.41	60.6	21.79	62.0	22.35
	31	53.1	20.47	54.8	20.85	56.3	21.22	57.9	21.79	59.4	22.17	60.8	22.73
	33	51.6	20.85	53.4	21.22	55.1	21.79	56.7	22.35	58.2	22.73	59.7	23.30
	35	50.1	21.22	52.0	21.60	53.9	22.35	55.5	22.92	56.9	23.30	58.5	23.67
	37	48.7	21.60	50.6	21.98	52.4	22.73	54.1	23.49	55.7	23.86	57.3	24.24
	39	47.3	21.98	49.2	22.54	50.9	23.11	52.7	23.86	54.5	24.24	56.1	24.80

2) 100%容量接続時 (室内ユニット合計容量 : 672)

(672 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	64.5	21.72	66.3	22.14	68.1	22.56	69.8	23.19	71.4	23.81	73.0	24.23
	29	63.1	22.14	65.0	22.56	66.6	22.98	68.4	23.60	70.2	24.02	71.8	24.65
	31	61.5	22.56	63.5	22.98	65.1	23.40	67.0	24.02	68.8	24.44	70.4	25.07
	33	59.8	22.98	61.8	23.40	63.8	24.02	65.6	24.65	67.3	25.07	69.1	25.70
	35	58.0	23.40	60.2	23.81	62.4	24.65	64.3	25.28	65.8	25.70	67.7	26.11
	37	56.4	23.81	58.6	24.23	60.7	25.07	62.6	25.90	64.5	26.32	66.3	26.74
	39	54.8	24.23	57.0	24.86	58.9	25.49	61.0	26.32	63.1	26.74	65.0	27.37
60	27	69.4	23.90	71.4	24.36	73.3	24.82	75.1	25.52	76.9	26.21	78.6	26.68
	29	67.9	24.36	70.0	24.82	71.7	25.29	73.7	25.98	75.6	26.45	77.3	27.14
	31	66.3	24.82	68.3	25.29	70.2	25.75	72.2	26.45	74.1	26.91	75.9	27.60
	33	64.4	25.29	66.6	25.75	68.7	26.45	70.7	27.14	72.5	27.60	74.4	28.30
	35	62.5	25.75	64.8	26.21	67.2	27.14	69.2	27.83	70.9	28.30	72.9	28.76
	37	60.7	26.21	63.1	26.68	65.3	27.60	67.5	28.53	69.4	28.99	71.4	29.46
	39	59.0	26.68	61.4	27.37	63.4	28.07	65.7	28.99	67.9	29.46	70.0	30.15

3) 130%容量接続時 (室内ユニット合計容量 : 874)

(672 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	69.3	22.94	71.3	23.38	73.2	23.83	75.0	24.49	76.8	25.16	78.5	25.60
	29	67.8	23.38	69.8	23.83	71.6	24.27	73.5	24.94	75.5	25.38	77.1	26.04
	31	66.1	23.83	68.2	24.27	70.0	24.71	72.0	25.38	74.0	25.82	75.7	26.49
	33	64.3	24.27	66.5	24.71	68.6	25.38	70.6	26.04	72.4	26.49	74.3	27.15
	35	62.4	24.71	64.7	25.16	67.1	26.04	69.1	26.71	70.8	27.15	72.8	27.60
	37	60.6	25.16	63.0	25.60	65.2	26.49	67.3	27.37	69.3	27.82	71.3	28.26
	39	58.9	25.60	61.2	26.27	63.3	26.93	65.6	27.82	67.8	28.26	69.8	28.93
60	27	74.6	25.25	76.8	25.74	78.8	26.23	80.8	26.97	82.7	27.70	84.5	28.19
	29	73.0	25.74	75.2	26.23	77.1	26.72	79.2	27.46	81.3	27.95	83.1	28.68
	31	71.2	26.23	73.5	26.72	75.4	27.21	77.6	27.95	79.7	28.44	81.6	29.17
	33	69.2	26.72	71.6	27.21	73.8	27.95	76.0	28.68	77.9	29.17	80.0	29.91
	35	67.2	27.21	69.7	27.70	72.2	28.68	74.4	29.42	76.2	29.91	78.4	30.40
	37	65.3	27.70	67.8	28.19	70.2	29.17	72.5	30.16	74.6	30.65	76.8	31.14
	39	63.4	28.19	66.0	28.93	68.2	29.67	70.7	30.65	73.0	31.14	75.2	31.87

(d) FDCP728HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 583)

(728 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	56.4	19.36	58.0	19.73	59.6	20.10	61.0	20.65	62.5	21.21	63.9	21.58
	29	55.2	19.73	56.8	20.10	58.3	20.47	59.8	21.02	61.4	21.39	62.8	21.95
	31	53.8	20.10	55.5	20.47	57.0	20.84	58.6	21.39	60.2	21.76	61.6	22.32
	33	52.3	20.47	54.1	20.84	55.8	21.39	57.4	21.95	58.9	22.32	60.4	22.87
	35	50.8	20.84	52.7	21.21	54.6	21.95	56.2	22.50	57.6	22.87	59.2	23.24
	37	49.4	21.21	51.3	21.58	53.1	22.32	54.8	23.06	56.4	23.42	58.0	23.79
	39	47.9	21.58	49.9	22.13	51.5	22.69	53.4	23.42	55.2	23.79	56.8	24.35
60	27	60.3	21.13	62.1	21.53	63.7	21.94	65.3	22.55	66.9	23.16	68.3	23.56
	29	59.0	21.53	60.8	21.94	62.3	22.35	64.0	22.96	65.7	23.36	67.1	23.97
	31	57.6	21.94	59.4	22.35	61.0	22.75	62.7	23.36	64.4	23.77	65.9	24.38
	33	55.9	22.35	57.9	22.75	59.7	23.36	61.4	23.97	63.0	24.38	64.6	24.99
	35	54.3	22.75	56.3	23.16	58.4	23.97	60.1	24.58	61.6	24.99	63.3	25.39
	37	52.8	23.16	54.8	23.56	56.8	24.38	58.6	25.19	60.3	25.60	62.1	26.00
	39	51.3	23.56	53.3	24.17	55.1	24.78	57.1	25.60	59.0	26.00	60.8	26.61

2) 100%容量接続時 (室内ユニット合計容量 : 728)

(728 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	70.2	23.49	72.3	23.94	74.2	24.40	76.0	25.08	77.9	25.76	79.6	26.22
	29	68.7	23.94	70.8	24.40	72.6	24.85	74.5	25.53	76.5	25.99	78.2	26.67
	31	67.0	24.40	69.2	24.85	71.0	25.31	73.0	25.99	75.0	26.44	76.8	27.12
	33	65.1	24.85	67.4	25.31	69.5	25.99	71.5	26.67	73.4	27.12	75.3	27.81
	35	63.2	25.31	65.6	25.76	68.0	26.67	70.0	27.35	71.7	27.81	73.8	28.26
	37	61.5	25.76	63.9	26.22	66.1	27.12	68.3	28.03	70.2	28.49	72.3	28.94
	39	59.7	26.22	62.1	26.90	64.2	27.58	66.5	28.49	68.7	28.94	70.8	29.63
60	27	75.2	25.66	77.4	26.16	79.4	26.66	81.4	27.41	83.4	28.16	85.2	28.66
	29	73.6	26.16	75.8	26.66	77.7	27.16	79.8	27.91	81.9	28.41	83.7	29.16
	31	71.8	26.66	74.0	27.16	76.0	27.66	78.2	28.41	80.3	28.91	82.2	29.66
	33	69.7	27.16	72.1	27.66	74.4	28.41	76.6	29.16	78.6	29.66	80.6	30.41
	35	67.7	27.66	70.3	28.16	72.8	29.16	75.0	29.91	76.8	30.41	79.0	30.91
	37	65.8	28.16	68.4	28.66	70.8	29.66	73.1	30.66	75.2	31.16	77.4	31.66
	39	63.9	28.66	66.5	29.41	68.7	30.16	71.2	31.16	73.6	31.66	75.8	32.41

3) 130%容量接続時 (室内ユニット合計容量 : 947)

(728 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	75.5	24.81	77.7	25.29	79.8	25.78	81.7	26.50	83.7	27.22	85.5	27.70
	29	73.9	25.29	76.1	25.78	78.0	26.26	80.1	26.98	82.2	27.46	84.1	28.19
	31	72.1	25.78	74.3	26.26	76.3	26.74	78.5	27.46	80.6	27.94	82.5	28.67
	33	70.0	26.26	72.4	26.74	74.7	27.46	76.9	28.19	78.9	28.67	80.9	29.39
	35	68.0	26.74	70.5	27.22	73.1	28.19	75.3	28.91	77.1	29.39	79.3	29.87
	37	66.1	27.22	68.6	27.70	71.1	28.67	73.4	29.63	75.5	30.11	77.7	30.60
	39	64.2	27.70	66.7	28.43	69.0	29.15	71.5	30.11	73.9	30.60	76.1	31.32
60	27	80.8	27.12	83.2	27.65	85.4	28.18	87.5	28.97	89.6	29.77	91.6	30.30
	29	79.1	27.65	81.5	28.18	83.5	28.71	85.8	29.50	88.0	30.03	90.0	30.83
	31	77.2	28.18	79.6	28.71	81.7	29.24	84.1	30.30	86.3	30.56	88.4	31.35
	33	75.0	28.71	77.6	29.24	80.0	30.03	82.3	30.83	84.4	31.35	86.6	32.15
	35	72.8	29.24	75.5	29.77	78.3	30.83	80.6	31.62	82.6	32.15	84.9	32.68
	37	70.7	29.77	73.5	30.30	76.1	31.35	78.6	32.41	80.8	32.94	83.2	33.47
	39	68.7	30.30	71.5	31.09	73.9	31.88	76.5	32.94	79.1	33.47	81.5	34.27

(e) FDCP784HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 628)

(784 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	60.6	21.18	62.3	21.59	64.0	21.99	65.5	22.60	67.1	23.21	68.6	23.62
	29	59.3	21.59	61.0	21.99	62.5	22.40	64.2	23.01	65.9	23.42	67.4	24.03
	31	57.8	21.99	59.6	22.40	61.2	22.81	63.0	23.42	64.7	23.83	66.2	24.44
	33	56.2	22.40	58.1	22.81	59.9	23.42	61.7	24.03	63.2	24.44	64.9	25.05
	35	54.5	22.81	56.6	23.21	58.6	24.03	60.4	24.64	61.8	25.05	63.6	25.45
	37	53.0	23.21	55.0	23.62	57.0	24.44	58.9	25.25	60.6	25.66	62.3	26.06
	39	51.5	23.62	53.5	24.23	55.3	24.84	57.3	25.66	59.3	26.06	61.0	26.68
60	27	65.0	23.64	66.8	24.10	68.6	24.55	70.3	25.24	72.0	25.93	73.6	26.39
	29	63.6	24.10	65.5	24.55	67.1	25.01	68.9	25.70	70.7	26.16	72.3	26.84
	31	62.0	24.55	63.9	25.01	65.6	25.47	67.5	26.16	69.4	26.61	71.0	27.30
	33	60.2	25.01	62.3	25.47	64.3	26.16	66.1	26.84	67.8	27.30	69.6	27.99
	35	58.5	25.47	60.7	25.93	62.9	26.84	64.8	27.53	66.3	27.99	68.2	28.45
	37	56.8	25.93	59.0	26.39	61.1	27.30	63.1	28.22	65.0	28.67	66.8	29.13
	39	55.2	26.39	57.4	27.07	59.4	27.76	61.5	28.67	63.6	29.13	65.5	29.82

2) 100%容量接続時 (室内ユニット合計容量 : 784)

(784 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	75.4	25.79	77.6	26.29	79.6	26.79	81.6	27.54	83.6	28.30	85.4	28.80
	29	73.8	26.29	76.0	26.79	77.9	27.29	80.0	28.04	82.1	28.55	84.0	29.30
	31	72.0	26.79	74.2	27.29	76.2	27.79	78.4	28.55	80.5	29.05	82.4	29.80
	33	69.9	27.29	72.3	27.79	74.6	28.55	76.8	29.30	78.8	29.80	80.8	30.56
	35	67.9	27.79	70.4	28.30	73.0	29.30	75.2	30.05	77.0	30.56	79.2	31.06
	37	66.0	28.30	68.5	28.80	71.0	29.80	73.3	30.81	75.4	31.31	77.6	31.81
	39	64.1	28.80	66.6	29.55	68.9	30.30	71.4	31.31	73.8	31.81	76.0	32.56
60	27	81.0	28.82	83.3	29.38	85.5	29.95	87.7	30.79	89.8	31.64	91.7	32.21
	29	79.3	29.38	81.6	29.95	83.7	30.51	85.9	31.36	88.2	31.92	90.2	32.77
	31	77.3	29.95	79.7	30.51	81.8	31.08	84.2	31.92	86.5	32.49	88.5	33.33
	33	75.1	30.51	77.7	31.08	80.1	31.92	82.5	32.77	84.6	33.33	86.8	34.18
	35	72.9	31.08	75.7	31.64	78.4	32.77	80.8	33.62	82.7	34.18	85.1	34.75
	37	70.9	31.64	73.6	32.21	76.2	33.33	78.7	34.46	81.0	35.03	83.3	35.59
	39	68.8	32.21	71.6	33.05	74.0	33.90	76.7	35.03	79.3	35.59	81.6	36.44

3) 130%容量接続時 (室内ユニット合計容量 : 1020)

(784 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	81.1	27.25	83.4	27.78	85.6	28.31	87.7	29.11	89.9	29.91	91.8	30.44
	29	79.3	27.78	81.7	28.31	83.7	28.84	86.0	29.64	88.3	30.18	90.2	30.97
	31	77.4	28.31	79.8	28.84	81.9	29.38	84.3	30.18	86.6	30.71	88.6	31.51
	33	75.2	28.84	77.8	29.38	80.2	30.18	82.6	30.97	84.7	31.51	86.9	32.30
	35	73.0	29.38	75.7	29.91	78.5	30.97	80.8	31.77	82.8	32.30	85.1	32.84
	37	70.9	29.91	73.7	30.44	76.3	31.51	78.8	32.57	81.1	33.10	83.4	33.63
	39	68.9	30.44	71.6	31.24	74.1	32.04	76.7	33.10	79.3	33.63	81.7	34.43
60	27	87.1	30.46	89.6	31.06	91.9	31.66	94.2	32.56	96.5	33.45	98.6	34.05
	29	85.2	31.06	87.7	31.66	89.9	32.26	92.4	33.16	94.8	33.75	96.9	34.65
	31	83.1	31.66	85.7	32.26	88.0	32.86	90.5	33.75	93.0	34.35	95.2	35.25
	33	80.7	32.26	83.5	32.86	86.1	33.75	88.7	34.65	90.9	35.25	93.3	36.15
	35	78.4	32.86	81.3	33.45	84.3	34.65	86.8	35.55	88.9	36.15	91.4	36.75
	37	76.2	33.45	79.1	34.05	81.9	35.25	84.6	36.45	87.1	37.04	89.6	37.64
	39	74.0	34.05	76.9	34.95	79.6	35.85	82.4	37.04	85.2	37.64	87.7	38.54

(f) FDCP840HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 672)

(840 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	64.7	23.07	66.6	23.52	68.3	23.96	70.0	24.63	71.7	25.30	73.3	25.75
	29	63.3	23.52	65.2	23.96	66.8	24.41	68.6	25.08	70.5	25.52	72.0	26.19
	31	61.8	23.96	63.7	24.41	65.4	24.85	67.3	25.52	69.1	25.97	70.7	26.64
	33	60.0	24.41	62.1	24.85	64.0	25.52	65.9	26.19	67.6	26.64	69.3	27.31
	35	58.2	24.85	60.4	25.30	62.6	26.19	64.5	26.86	66.1	27.31	68.0	27.75
	37	56.6	25.30	58.8	25.75	60.9	26.64	62.9	27.53	64.7	27.98	66.6	28.42
	39	55.0	25.75	57.2	26.42	59.1	27.08	61.3	27.98	63.3	28.42	65.2	29.09
60	27	69.6	26.23	71.6	26.74	73.5	27.25	75.3	28.02	77.1	28.78	78.8	29.29
	29	68.1	26.74	70.1	27.25	71.9	27.76	73.8	28.53	75.8	29.04	77.5	29.81
	31	66.4	27.25	68.5	27.76	70.3	28.27	72.4	29.04	74.3	29.55	76.1	30.32
	33	64.5	27.76	66.8	28.27	68.9	29.04	70.9	29.81	72.7	30.32	74.6	31.08
	35	62.7	28.27	65.0	28.78	67.4	29.81	69.4	30.57	71.1	31.08	73.1	31.59
	37	60.9	28.78	63.3	29.29	65.5	30.32	67.6	31.34	69.6	31.85	71.6	32.36
	39	59.1	29.29	61.5	30.06	63.6	30.83	65.9	31.85	68.1	32.36	70.1	33.13

2) 100%容量接続時 (室内ユニット合計容量 : 840)

(840 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	80.6	28.08	82.9	28.63	85.1	29.18	87.2	30.01	89.3	30.83	91.3	31.38
	29	78.9	28.63	81.2	29.18	83.2	29.73	85.5	30.56	87.8	31.11	89.7	31.93
	31	76.9	29.18	79.3	29.73	81.4	30.28	83.8	31.11	86.0	31.66	88.1	32.48
	33	74.7	29.73	77.3	30.28	79.7	31.11	82.1	31.93	84.2	32.48	86.3	33.30
	35	72.5	30.28	75.3	30.83	78.0	31.93	80.3	32.75	82.3	33.30	84.6	33.85
	37	70.5	30.83	73.2	31.38	75.8	32.48	78.3	33.58	80.6	34.13	82.9	34.68
	39	68.5	31.38	71.2	32.20	73.6	33.03	76.3	34.13	78.9	34.68	81.2	35.50
60	27	86.8	31.97	89.3	32.60	91.6	33.23	93.9	34.18	96.2	35.12	98.3	35.75
	29	84.9	32.60	87.4	33.23	89.6	33.86	92.1	34.81	94.5	35.44	96.6	36.38
	31	82.8	33.23	85.4	33.86	87.7	34.49	90.2	35.44	92.7	36.07	94.8	37.01
	33	80.5	33.86	83.2	34.49	85.8	35.44	88.4	36.38	90.6	37.01	93.0	37.95
	35	78.1	34.49	81.1	35.12	84.0	36.38	86.5	37.32	88.6	37.95	91.1	38.58
	37	75.9	35.12	78.9	35.75	81.6	37.01	84.3	38.27	86.8	38.90	89.3	39.53
	39	73.8	35.75	76.7	36.69	79.3	37.64	82.2	38.90	84.9	39.53	87.4	40.47

3) 130%容量接続時 (室内ユニット合計容量 : 1092)

(840 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	86.6	29.68	89.1	30.27	91.5	30.85	93.7	31.72	96.0	32.60	98.1	33.18
	29	84.8	30.27	87.3	30.85	89.5	31.43	91.9	32.31	94.3	32.89	96.4	33.76
	31	82.7	30.85	85.3	31.43	87.5	32.01	90.1	32.89	92.5	33.47	94.7	34.34
	33	80.3	31.43	83.1	32.01	85.7	32.89	88.2	33.76	90.5	34.34	92.8	35.22
	35	78.0	32.01	80.9	32.60	83.9	33.76	86.4	34.63	88.5	35.22	91.0	35.80
	37	75.8	32.60	78.7	33.18	81.5	34.34	84.2	35.51	86.6	36.09	89.1	36.67
	39	73.6	33.18	76.6	34.05	79.2	34.93	82.0	36.09	84.8	36.67	87.3	37.55
60	27	93.3	33.81	96.0	34.47	98.5	35.14	101.0	36.14	103.4	37.14	105.7	37.81
	29	91.3	34.47	94.0	35.14	96.4	35.81	99.0	36.81	101.6	37.48	103.8	38.48
	31	89.0	35.14	91.8	35.81	94.3	36.48	97.0	37.48	99.6	38.14	101.9	39.15
	33	86.5	35.81	89.5	36.48	92.3	37.48	95.0	38.48	97.4	39.15	100.0	40.15
	35	84.0	36.48	87.1	37.14	90.3	38.48	93.0	39.48	95.3	40.15	98.0	40.81
	37	81.6	37.14	84.8	37.81	87.8	39.15	90.7	40.48	93.3	41.15	96.0	41.81
	39	79.3	37.81	82.4	38.81	85.2	39.81	88.3	41.15	91.3	41.81	94.0	42.82

g) FDCP896HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 717)

(896 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	68.4	23.32	70.3	23.76	72.2	24.20	74.0	24.86	75.8	25.52	77.4	25.96
	29	66.9	23.76	68.9	24.20	70.6	24.64	72.5	25.30	74.4	25.74	76.1	26.41
	31	65.2	24.20	67.3	24.64	69.1	25.08	71.1	25.74	73.0	26.19	74.7	26.85
	33	63.4	24.64	65.6	25.08	67.6	25.74	69.6	26.41	71.4	26.85	73.2	27.51
	35	61.5	25.08	63.9	25.52	66.2	26.41	68.2	27.07	69.8	27.51	71.8	27.95
	37	59.8	25.52	62.1	25.96	64.3	26.85	66.4	27.73	68.4	28.17	70.3	28.61
	39	58.1	25.96	60.4	26.63	62.5	27.29	64.7	28.17	66.9	28.61	68.9	29.28
60	27	74.2	25.98	76.4	26.47	78.4	26.97	80.3	27.71	82.3	28.46	84.1	28.95
	29	72.6	26.47	74.8	26.97	76.7	27.47	78.8	28.21	80.8	28.71	82.6	29.45
	31	70.9	26.97	73.1	27.47	75.0	27.96	77.2	28.71	79.3	29.20	81.1	29.95
	33	68.8	27.47	71.2	27.96	73.4	28.71	75.6	29.45	77.5	29.95	79.5	30.69
	35	66.8	27.96	69.3	28.46	71.9	29.45	74.0	30.19	75.8	30.69	78.0	31.19
	37	65.0	28.46	67.5	28.95	69.8	29.95	72.1	30.94	74.2	31.44	76.4	31.93
	39	63.1	28.95	65.6	29.70	67.8	30.44	70.3	31.44	72.6	31.93	74.8	32.68

2) 100%容量接続時 (室内ユニット合計容量 : 896)

(896 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	85.1	28.21	87.6	28.76	89.9	29.30	92.1	30.11	94.3	30.93	96.4	31.47
	29	83.3	28.76	85.8	29.30	87.9	29.84	90.3	30.65	92.7	31.20	94.8	32.01
	31	81.2	29.30	83.8	29.84	86.0	30.38	88.5	31.20	90.9	31.74	93.0	32.55
	33	78.9	29.84	81.7	30.38	84.2	31.20	86.7	32.01	88.9	32.55	91.2	33.37
	35	76.6	30.38	79.5	30.93	82.4	32.01	84.9	32.82	86.9	33.37	89.4	33.91
	37	74.5	30.93	77.4	31.47	80.1	32.55	82.7	33.64	85.1	34.18	87.6	34.72
	39	72.3	31.47	75.2	32.28	77.8	33.09	80.6	34.18	83.3	34.72	85.6	35.54
60	27	92.6	31.48	95.2	32.09	97.8	32.70	100.2	33.62	102.6	34.53	104.8	35.14
	29	90.6	32.09	93.3	32.70	95.6	33.31	98.2	34.23	100.8	34.84	103.0	35.75
	31	88.3	32.70	91.1	33.31	93.5	33.92	96.2	34.84	98.8	35.45	101.2	36.36
	33	85.8	33.31	88.8	33.92	91.6	34.84	94.3	35.75	96.7	36.36	99.2	37.27
	35	83.3	33.92	85.5	34.53	89.6	35.75	92.3	36.66	94.5	37.27	97.2	37.88
	37	81.0	34.53	84.1	35.14	87.1	36.36	90.0	37.58	92.6	38.19	95.2	38.80
	39	78.7	35.14	81.8	36.05	84.6	36.97	87.6	38.19	90.6	38.80	93.3	39.71

3) 130%容量接続時 (室内ユニット合計容量 : 1165)

(896 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	91.5	29.79	94.2	30.37	96.6	30.94	99.0	31.81	101.4	32.67	103.6	33.24
	29	89.6	30.37	92.2	30.94	94.5	31.52	97.1	32.38	99.7	32.96	101.9	33.82
	31	87.3	30.94	90.1	31.52	92.5	32.09	95.1	32.96	97.7	33.53	100.0	34.39
	33	84.9	31.52	87.8	32.09	90.5	32.96	93.2	33.82	95.6	34.39	98.1	35.26
	35	82.4	32.09	85.5	32.67	88.6	33.82	91.2	34.68	93.5	35.26	96.1	35.83
	37	80.1	32.67	83.2	33.24	86.1	34.39	88.9	35.54	91.5	36.12	94.2	36.69
	39	77.8	33.24	80.9	34.11	83.6	34.97	86.6	36.12	89.6	36.69	92.2	37.55
60	27	99.5	33.26	102.4	33.90	105.1	34.55	107.7	35.52	110.3	36.49	112.7	37.14
	29	97.4	33.90	100.3	34.55	102.8	35.20	105.6	36.17	108.4	36.81	110.8	37.78
	31	95.0	34.55	98.0	35.20	100.6	35.84	103.4	36.81	106.2	37.46	108.7	38.43
	33	92.3	35.20	95.5	35.84	98.4	36.81	101.3	37.78	103.9	38.43	106.6	39.40
	35	89.6	35.84	92.9	36.49	96.3	37.78	99.2	38.75	101.6	39.40	104.5	40.04
	37	87.1	36.49	90.4	37.14	93.6	38.43	96.7	39.72	99.5	40.37	102.4	41.01
	39	84.6	37.14	87.9	38.11	90.9	39.07	94.2	40.37	97.4	41.01	100.3	41.98

(h) FDCP952HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 762)

(952 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	73.0	24.72	75.1	25.20	77.1	25.67	79.0	26.37	80.9	27.08	82.7	27.55
	29	71.4	25.20	73.6	25.67	75.4	26.14	77.4	26.84	79.5	27.31	81.3	28.02
	31	69.7	25.67	71.9	26.14	73.8	26.61	75.9	27.31	77.9	27.78	79.8	28.49
	33	67.7	26.14	70.0	26.61	72.2	27.31	74.3	28.02	76.2	28.49	78.2	29.19
	35	65.7	26.61	68.2	27.08	70.7	28.02	72.8	28.72	74.6	29.19	76.7	29.66
	37	63.9	27.08	66.4	27.55	68.7	28.49	70.9	29.43	73.0	29.90	75.1	30.37
	39	62.0	27.55	64.5	28.25	66.7	28.96	69.1	29.90	71.4	30.37	73.6	31.08
60	27	78.9	27.38	81.2	27.91	83.3	28.43	85.4	29.22	87.4	30.01	89.3	30.53
	29	77.2	27.91	79.5	28.43	81.5	28.96	83.7	29.75	85.9	30.27	87.8	31.06
	31	75.3	28.43	77.6	28.96	79.7	29.48	82.0	30.27	84.2	30.80	86.2	31.58
	33	73.1	28.96	75.7	29.48	78.0	30.27	80.3	31.06	82.4	31.58	84.5	32.37
	35	71.0	29.48	73.7	30.01	76.4	31.06	78.6	31.85	80.5	32.37	82.8	32.90
	37	69.0	30.01	71.7	30.53	74.2	31.58	76.7	32.63	78.9	33.16	81.2	33.68
	39	67.0	30.53	69.7	31.32	72.1	32.11	74.7	33.16	77.2	33.68	79.5	34.47

2) 100%容量接続時 (室内ユニット合計容量 : 952)

(952 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	90.9	29.98	93.5	30.56	96.0	31.14	98.4	32.00	100.8	32.87	103.0	33.45
	29	89.0	30.56	91.6	31.14	93.9	31.72	96.4	32.58	99.0	33.16	101.2	34.03
	31	86.8	31.14	89.5	31.72	91.9	32.29	94.5	33.16	97.1	33.74	99.4	34.61
	33	84.3	31.72	87.2	32.29	89.9	33.16	92.6	34.03	95.0	34.61	97.4	35.48
	35	81.8	32.29	84.9	32.87	88.0	34.03	90.6	34.90	92.8	35.48	95.5	36.06
	37	79.6	32.87	82.6	33.45	85.5	34.61	88.4	35.77	90.9	36.34	93.5	36.92
	39	77.3	33.45	80.3	34.32	83.1	35.19	86.1	36.34	89.0	36.92	91.6	37.79
60	27	98.3	33.25	101.2	33.89	103.9	34.54	106.4	35.51	109.0	36.48	111.4	37.12
	29	96.2	33.89	99.1	34.54	101.6	35.19	104.3	36.15	107.1	36.80	109.5	37.77
	31	93.9	34.54	96.8	35.19	99.4	35.83	102.2	36.80	105.0	37.45	107.5	38.42
	33	91.2	35.19	94.3	35.83	97.3	36.80	100.2	37.77	102.7	38.42	105.4	39.39
	35	88.5	35.83	91.9	36.48	95.2	37.77	98.1	38.74	100.4	39.39	103.3	40.03
	37	86.1	36.48	89.4	37.12	92.5	38.42	95.6	39.71	98.3	40.35	101.2	41.00
	39	83.6	37.12	86.9	38.09	89.9	39.06	93.1	40.35	96.2	41.00	99.1	41.97

3) 130%容量接続時 (室内ユニット合計容量 : 1238)

(952 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	97.7	31.67	110.6	32.28	103.2	32.89	105.8	33.81	108.3	34.73	110.7	35.35
	29	95.6	32.28	98.5	32.89	100.9	33.51	103.7	34.43	106.4	35.04	108.8	35.96
	31	93.3	32.89	96.2	33.51	98.8	34.12	101.6	35.04	104.3	35.65	106.8	36.57
	33	90.6	33.51	93.7	34.12	96.7	35.04	99.5	35.96	102.1	36.57	104.7	37.49
	35	88.0	34.12	91.3	34.73	94.6	35.96	97.4	36.88	99.8	37.49	102.6	38.11
	37	85.5	34.73	88.8	35.35	92.0	36.57	95.0	37.80	97.7	38.41	100.6	39.03
	39	83.1	35.35	86.4	36.27	89.3	37.19	92.5	38.41	95.6	39.03	98.5	39.95
60	27	105.7	35.13	108.8	35.81	111.7	36.50	114.4	37.53	117.2	38.55	119.7	39.24
	29	103.5	35.81	106.5	36.50	109.2	37.18	112.2	38.21	115.1	38.90	117.7	39.92
	31	100.9	36.50	104.1	37.18	106.8	37.87	109.9	38.90	112.9	39.58	115.5	40.61
	33	98.0	37.18	101.4	37.87	104.6	38.90	107.7	39.92	110.4	40.61	113.3	41.64
	35	95.2	37.87	98.8	38.55	102.3	39.92	105.4	40.95	108.0	41.64	111.0	42.32
	37	92.5	38.55	96.1	39.24	99.5	40.61	102.7	41.98	105.7	42.66	108.8	43.35
	39	89.9	39.24	93.4	40.27	96.6	41.29	100.1	42.66	103.5	43.35	106.5	44.37

(i) FDCP1008HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 807)

(1008 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	77.1	26.53	79.4	27.04	81.5	27.55	83.5	28.31	85.5	29.07	87.4	29.58
	29	75.5	27.04	77.7	27.55	79.7	28.06	81.8	28.82	84.0	29.33	85.9	30.09
	31	73.6	27.55	75.9	28.06	78.0	28.56	80.2	29.33	82.4	29.83	84.3	30.59
	33	71.5	28.06	74.0	28.56	76.3	29.33	78.6	30.09	80.6	30.59	82.7	31.36
	35	69.5	28.56	72.1	29.07	74.7	30.09	76.9	30.85	78.8	31.36	81.0	31.86
	37	67.5	29.07	70.1	29.58	72.6	30.59	75.0	31.61	77.1	32.12	79.4	32.63
	39	65.6	29.58	68.2	30.34	70.5	31.10	73.0	32.12	75.5	32.63	77.7	33.39
60	27	83.5	29.88	85.9	30.45	88.2	31.03	90.4	31.90	92.6	32.76	94.6	33.34
	29	81.7	30.45	84.2	31.03	86.3	31.61	88.6	32.47	90.9	33.05	93.0	33.91
	31	79.7	31.03	82.2	31.61	84.4	32.18	86.8	33.05	89.2	33.63	91.3	34.49
	33	77.4	31.61	80.1	32.18	82.6	33.05	85.0	33.91	87.2	34.49	89.5	35.36
	35	75.2	32.18	78.0	32.76	80.8	33.91	83.3	34.78	85.3	35.36	87.7	35.93
	37	73.1	32.76	75.9	33.34	78.6	34.49	81.2	35.64	83.5	36.22	85.9	36.80
	39	71.0	33.34	73.8	34.20	76.3	35.07	79.1	36.22	81.7	36.80	84.2	37.66

2) 100%容量接続時 (室内ユニット合計容量 : 1008)

(1008 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	96.1	32.28	98.9	32.90	101.5	33.53	104.0	34.47	106.5	35.41	108.8	36.03
	29	94.0	32.90	96.8	33.53	99.2	34.16	101.9	35.09	104.6	35.72	107.0	36.66
	31	91.7	33.53	94.6	34.16	97.1	34.78	99.9	35.72	102.6	36.35	105.0	37.29
	33	89.1	34.16	92.2	34.78	95.0	35.72	97.8	36.66	100.3	37.29	103.0	38.23
	35	86.5	34.78	89.7	35.41	93.0	36.66	95.8	37.60	98.1	38.23	100.9	38.85
	37	84.1	35.41	87.3	36.03	90.4	37.29	93.4	38.54	96.1	39.16	98.9	39.79
	39	81.7	36.03	84.9	36.97	87.8	37.91	91.0	39.16	94.0	39.79	96.8	40.73
60	27	104.1	36.40	107.2	37.11	110.0	37.83	112.7	38.89	115.4	39.96	117.9	40.67
	29	101.9	37.11	104.9	37.83	107.6	38.54	110.5	39.60	113.4	40.31	115.9	41.38
	31	99.4	37.83	102.5	38.54	105.2	39.25	108.3	40.31	111.2	41.02	113.8	42.09
	33	96.6	38.54	99.9	39.25	103.0	40.31	106.0	41.38	108.8	42.09	111.6	43.16
	35	93.7	39.25	97.3	39.96	100.8	41.38	103.8	42.45	106.3	43.16	109.4	43.87
	37	91.1	39.96	94.7	40.67	98.0	42.09	101.2	43.51	104.1	44.22	107.2	44.94
	39	88.5	40.67	92.0	41.74	95.2	42.80	98.6	44.22	101.9	44.94	104.9	46.00

3) 130%容量接続時 (室内ユニット合計容量 : 1311)

(1008 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	103.3	34.10	106.3	34.77	109.1	35.43	111.8	36.42	114.5	37.42	117.0	38.08
	29	101.1	34.77	104.1	35.43	106.7	36.09	109.6	37.09	112.5	37.75	115.0	38.75
	31	98.6	35.43	101.7	36.09	104.4	36.76	107.4	37.75	110.3	38.41	112.9	39.41
	33	95.8	36.09	99.1	36.76	102.2	37.75	105.2	38.75	107.9	39.41	110.7	40.41
	35	93.0	36.76	96.5	37.42	100.0	38.75	103.0	39.74	105.5	40.41	108.5	41.07
	37	90.4	37.42	93.9	38.08	97.2	39.41	100.4	40.74	103.3	41.40	106.3	42.06
	39	87.8	38.08	91.3	39.08	94.4	40.07	97.8	41.40	101.1	42.06	104.1	43.06
60	27	111.9	38.47	115.2	39.23	118.2	39.98	121.1	41.11	124.1	42.24	126.8	43.00
	29	109.6	39.23	112.8	39.98	115.6	40.74	118.8	41.87	121.9	42.62	124.6	43.75
	31	106.8	39.98	110.2	40.74	113.1	41.49	116.4	42.62	119.5	43.37	122.3	44.50
	33	103.8	40.74	107.4	41.49	110.7	42.62	114.0	43.75	116.9	44.50	120.0	45.63
	35	100.8	41.49	104.6	42.24	108.4	43.75	111.6	44.88	114.3	45.63	117.6	46.39
	37	98.0	42.24	101.8	43.00	105.3	44.50	108.8	46.01	111.9	46.76	115.2	47.52
	39	95.1	43.00	98.9	44.13	102.3	45.26	106.0	46.76	109.6	47.52	112.8	48.65

(j) FDCP1064HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 852)

(1064 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	81.3	28.40	83.7	28.94	85.9	29.49	88.0	30.31	90.1	31.13	92.1	31.67
	29	79.6	28.94	81.9	29.49	84.0	30.04	86.2	30.85	88.5	31.40	90.5	32.22
	31	77.6	29.49	80.0	30.04	82.2	30.58	84.5	31.40	86.8	31.95	88.8	32.77
	33	75.4	30.04	78.0	30.58	80.4	31.40	82.8	32.22	84.9	32.77	87.1	33.58
	35	73.2	30.58	75.9	31.13	78.7	32.22	81.1	33.04	83.0	33.58	85.4	34.13
	37	71.1	31.13	73.9	31.67	76.5	32.77	79.0	33.86	81.3	34.40	83.7	34.95
	39	69.1	31.67	71.8	32.49	74.3	33.31	77.0	34.40	79.6	34.95	81.9	35.77
60	27	88.1	32.44	90.7	33.07	93.1	33.70	95.4	34.64	97.7	35.58	99.8	36.21
	29	86.3	33.07	88.8	33.70	91.1	34.32	93.5	35.27	96.0	35.90	98.1	36.84
	31	84.1	33.70	86.8	34.32	89.1	34.95	91.6	35.90	94.1	36.53	96.3	37.47
	33	81.7	34.32	84.6	34.95	87.2	35.90	89.8	36.84	92.1	37.47	94.5	38.42
	35	79.4	34.95	82.3	35.58	85.3	36.84	87.9	37.79	90.0	38.42	92.6	39.04
	37	77.1	35.58	80.1	36.21	82.9	37.47	85.7	38.73	88.1	39.36	90.7	39.99
	39	74.9	36.21	77.9	37.16	80.6	38.10	83.5	39.36	86.3	39.99	88.8	40.93

2) 100%容量接続時 (室内ユニット合計容量 : 1064)

(1064 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	101.2	34.58	104.2	35.25	106.9	35.92	109.6	36.93	112.2	37.94	114.7	38.62
	29	99.1	35.25	102.0	35.92	104.6	36.60	107.4	37.61	110.3	38.28	112.7	39.29
	31	96.6	35.92	99.7	36.60	102.3	37.27	105.3	38.28	108.1	38.95	110.6	39.96
	33	93.9	36.60	97.1	37.27	100.2	38.28	103.1	39.29	105.7	39.96	108.5	40.97
	35	91.1	37.27	94.6	37.94	98.0	39.29	100.9	40.30	103.4	40.97	106.3	41.65
	37	88.6	37.94	92.0	38.62	95.3	39.96	98.4	41.31	101.2	41.98	104.2	42.66
	39	86.0	38.62	89.5	39.63	92.5	40.64	95.8	41.98	99.1	42.66	102.0	43.67
60	27	109.9	39.56	113.1	40.33	116.1	41.11	119.0	42.27	121.8	43.44	124.5	44.21
	29	107.6	40.33	110.8	41.11	113.5	41.89	116.6	43.05	119.7	43.83	122.4	44.99
	31	104.9	41.11	108.2	41.89	111.1	42.66	114.3	43.83	117.4	44.60	120.1	45.77
	33	101.9	41.89	105.4	42.66	108.7	43.83	111.9	44.99	114.8	45.77	117.8	46.93
	35	99.0	42.66	102.7	43.44	106.4	44.99	109.6	46.15	112.3	46.93	115.4	47.71
	37	96.2	43.44	99.9	44.21	103.4	45.77	106.8	47.32	109.9	48.09	113.1	48.87
	39	93.4	44.21	97.1	45.38	100.4	46.54	104.1	48.09	107.6	48.87	110.8	50.03

3) 130%容量接続時 (室内ユニット合計容量 : 1384)

(1064 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	108.8	36.54	112.0	37.25	114.9	37.97	117.8	39.04	120.6	40.11	123.3	40.82
	29	106.5	37.25	109.7	37.97	112.4	38.68	115.5	39.75	118.5	40.46	121.2	41.53
	31	103.9	37.97	107.1	38.68	110.0	39.39	113.1	40.46	116.2	41.18	118.9	42.25
	33	100.9	38.68	104.4	39.39	107.7	40.46	110.8	41.53	113.7	42.25	116.6	43.32
	35	98.0	39.39	101.7	40.11	105.4	41.53	108.5	42.61	111.1	43.32	114.3	44.03
	37	95.2	40.11	98.9	40.82	102.4	42.25	105.8	43.68	108.8	44.39	112.0	45.10
	39	92.5	40.82	96.2	41.89	99.5	42.96	103.0	44.39	106.5	45.10	109.7	46.17
60	27	118.2	41.82	121.6	42.64	124.8	43.46	127.9	44.70	131.0	45.93	133.8	46.75
	29	115.6	42.64	119.1	43.46	122.0	44.29	125.4	45.52	128.7	46.34	131.5	47.58
	31	112.8	43.46	116.3	44.29	119.4	45.11	122.8	46.34	126.2	47.17	129.1	48.40
	33	109.6	44.29	113.4	45.11	116.9	46.34	120.3	47.58	123.4	48.40	126.6	49.63
	35	106.4	45.11	110.4	45.93	114.4	47.58	117.8	48.81	120.7	49.63	124.1	50.46
	37	103.4	45.93	107.4	46.75	111.2	48.40	114.8	50.04	118.2	50.87	121.6	51.69
	39	100.4	46.75	104.4	47.99	108.0	49.22	111.9	50.87	115.6	51.69	119.1	52.92

(k) FDCP1120HKX2DA

1) 80%容量接続時 (室内ユニット合計容量 : 896)

(1120 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	85.4	30.30	87.9	30.88	90.2	31.47	92.5	32.34	94.7	33.22	96.8	33.81
	29	83.6	30.88	86.1	31.47	88.3	32.05	90.6	32.93	93.0	33.51	95.1	34.39
	31	81.6	31.47	84.1	32.05	86.3	32.64	88.8	33.51	91.2	34.10	93.4	34.98
	33	79.2	32.05	82.0	32.64	84.5	33.51	87.0	34.39	89.2	34.98	91.6	35.86
	35	76.9	32.64	79.8	33.22	82.7	34.39	85.2	35.27	87.3	35.86	89.7	36.44
	37	74.8	33.22	77.7	33.81	80.4	34.98	83.0	36.15	85.4	36.73	87.9	37.32
	39	72.6	33.81	75.5	34.69	78.1	35.56	80.9	36.73	83.6	37.32	86.1	38.20
60	27	92.8	35.04	95.5	35.72	98.0	36.40	100.4	37.43	102.8	38.45	105.1	39.13
	29	90.8	35.72	93.5	36.40	95.8	37.09	98.4	38.11	101.1	38.79	103.3	39.82
	31	88.6	36.40	91.4	37.09	93.8	37.77	96.5	38.79	99.1	39.48	101.4	40.50
	33	86.1	37.09	89.0	37.77	91.8	38.79	94.5	39.82	96.9	40.50	99.4	41.52
	35	83.5	37.77	86.7	38.45	89.8	39.82	92.5	40.84	94.8	41.52	97.5	42.21
	37	81.2	38.45	84.3	39.13	87.3	40.50	90.2	41.87	92.8	42.55	95.5	43.23
	39	78.9	39.13	82.0	40.16	84.8	41.18	87.8	42.55	90.8	43.23	93.5	44.26

2) 100%容量接続時 (室内ユニット合計容量 : 1120)

(1120 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	106.4	36.87	109.5	37.60	112.4	38.32	115.2	39.40	117.9	40.48	120.5	41.20
	29	104.1	37.60	107.2	38.32	109.9	39.04	112.9	40.12	115.9	40.84	118.5	41.92
	31	101.6	38.32	104.8	39.04	107.5	39.76	110.6	40.84	113.6	41.56	116.3	42.64
	33	98.7	39.04	102.1	39.76	105.3	40.84	108.4	41.92	111.1	42.64	114.0	43.72
	35	95.8	39.76	99.4	40.48	103.0	41.92	106.1	43.00	108.7	43.72	111.8	44.44
	37	93.1	40.48	96.7	41.20	100.1	42.64	103.4	44.08	106.4	44.80	109.5	45.52
	39	90.4	41.20	94.0	42.28	97.2	43.36	100.7	44.80	104.1	45.52	107.2	46.60
60	27	115.7	42.71	119.1	43.55	122.2	44.40	125.2	45.66	128.2	46.92	131.0	47.76
	29	113.2	43.55	116.6	44.40	119.5	45.24	122.8	46.50	126.0	47.34	128.8	48.60
	31	110.4	44.40	113.9	45.24	116.9	46.08	120.3	47.34	123.5	48.18	126.4	49.44
	33	107.3	45.24	111.0	46.08	114.5	47.34	117.8	48.60	120.8	49.44	124.0	50.70
	35	104.2	46.08	108.1	46.92	112.0	48.60	115.4	49.86	118.2	50.70	121.5	51.54
	37	101.2	46.92	105.2	47.76	108.9	49.44	112.4	51.12	115.7	51.96	119.1	52.80
	39	98.3	47.76	102.3	49.02	105.7	50.28	109.5	51.96	113.2	52.80	116.6	54.07

3) 130%容量接続時 (室内ユニット合計容量 : 1456)

(1120 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	114.4	38.97	117.7	39.74	120.8	40.50	123.8	41.65	126.8	42.79	129.5	43.56
	29	111.9	39.74	115.3	40.50	118.1	41.27	121.4	42.41	124.6	43.18	127.3	44.32
	31	109.2	40.50	112.6	41.27	115.6	42.03	118.9	43.18	122.1	43.94	125.0	45.09
	33	106.1	41.27	109.7	42.03	113.2	43.18	116.5	44.32	119.5	45.09	122.6	46.23
	35	103.0	42.03	106.8	42.79	110.7	44.32	114.0	45.47	116.8	46.23	120.1	47.00
	37	100.1	42.79	104.0	43.56	107.6	45.09	111.2	46.61	114.4	47.38	117.7	48.14
	39	97.2	43.56	101.1	44.70	104.5	45.85	108.3	47.38	111.9	48.14	115.3	49.29
60	27	124.4	45.16	128.0	46.05	131.4	46.95	134.6	48.28	137.9	49.62	140.9	50.51
	29	121.7	46.05	125.3	46.95	128.5	47.84	132.0	49.17	135.5	50.07	138.5	51.40
	31	118.7	46.95	122.4	47.84	125.7	48.73	129.3	50.07	132.8	50.96	135.9	52.29
	33	115.3	47.84	119.3	48.73	123.0	50.07	126.7	51.40	129.9	52.29	133.3	53.63
	35	112.0	48.73	116.2	49.62	120.4	51.40	124.0	52.74	127.0	53.63	130.6	54.52
	37	108.8	49.62	113.1	50.51	117.0	52.29	120.9	54.08	124.4	54.97	128.0	55.86
	39	105.7	50.51	109.9	51.85	113.7	53.19	117.8	54.97	121.7	55.86	125.3	57.20

・ 組合せ50Hz専用ユニット仕様

(a) FDCP500HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 400)

(500 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	41.8	15.56	43.0	15.86	44.2	16.17	45.2	16.62	46.3	17.07	47.4	17.37
	29	40.9	15.86	42.1	16.17	43.2	16.47	44.4	16.92	45.5	17.22	46.5	17.67
	31	39.9	16.17	41.2	16.47	42.3	16.77	43.5	17.22	44.6	17.52	45.7	17.97
	33	38.8	16.47	40.1	16.77	41.4	17.22	42.6	17.67	43.7	17.97	44.8	18.42
	35	37.6	16.77	39.1	17.07	40.5	17.67	41.7	18.12	42.7	18.42	43.9	18.72
	37	36.6	17.07	38.0	17.37	39.3	17.97	40.6	18.57	41.8	18.88	43.0	19.18
	39	35.5	17.37	37.0	17.82	38.2	18.27	39.6	18.88	40.9	19.18	42.1	19.63

2) 100%容量接続時 (室内ユニット合計容量 : 500)

(500 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	52.1	18.97	53.6	19.34	55.0	19.71	56.3	20.27	57.7	20.83	59.0	21.20
	29	51.0	19.34	52.5	19.71	53.8	20.08	55.2	20.64	56.7	21.01	58.0	21.57
	31	49.7	19.71	51.3	20.08	52.6	20.46	54.1	21.01	55.6	21.38	56.9	21.94
	33	48.3	20.08	49.9	20.46	51.5	21.01	53.0	21.57	54.4	21.94	55.8	22.50
	35	46.9	20.46	48.6	20.83	50.4	21.57	51.9	22.13	53.2	22.50	54.7	22.87
	37	45.6	20.83	47.3	21.20	49.0	21.94	50.6	22.68	52.1	23.06	53.6	23.43
	39	44.3	21.20	46.0	21.76	47.6	22.31	49.3	23.06	51.0	23.43	52.5	23.98

3) 130%容量接続時 (室内ユニット合計容量 : 650)

(500 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	56.0	20.05	57.6	20.45	59.1	20.84	60.6	21.43	62.0	22.02	63.4	22.41
	29	54.8	20.45	56.4	20.84	57.8	21.23	59.4	21.82	61.0	22.22	62.3	22.81
	31	53.4	20.84	55.1	21.23	56.6	21.63	58.2	22.22	59.8	22.61	61.2	23.20
	33	51.9	21.23	53.7	21.63	55.4	22.22	57.0	22.81	58.5	23.20	60.0	23.79
	35	50.4	21.63	52.3	22.02	54.2	22.81	55.8	23.40	57.2	23.79	58.8	24.19
	37	49.0	22.02	50.9	22.41	52.7	23.20	54.4	23.99	56.0	24.38	57.6	24.78
	39	47.6	22.41	49.5	23.00	51.1	23.60	53.0	24.38	54.8	24.78	56.4	26.37

(b) FDCP560HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 448)

(560 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	46.5	17.66	47.8	18.01	49.1	18.35	50.3	18.87	51.5	19.38	52.6	19.73
	29	45.5	18.01	46.8	18.35	48.0	18.69	49.3	19.21	50.6	19.55	51.7	20.07
	31	44.3	18.35	45.7	18.69	46.9	19.04	48.3	19.55	49.6	19.90	50.8	20.42
	33	43.1	18.69	44.6	19.04	46.0	19.55	47.3	20.07	48.5	20.42	49.8	20.93
	35	41.8	19.04	43.4	19.38	45.0	20.07	46.3	20.59	47.4	20.93	48.8	21.28
	37	40.7	19.38	42.2	19.73	43.7	20.42	45.1	21.10	46.5	21.45	47.8	21.79
	39	39.5	19.73	41.1	20.24	42.4	20.76	44.0	21.45	45.5	21.79	46.8	22.31

2) 100%容量接続時 (室内ユニット合計容量 : 560)

(560 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	57.8	21.56	59.5	21.98	61.1	22.41	62.6	23.04	64.1	23.68	65.5	24.11
	29	56.6	21.98	58.3	22.41	59.8	22.83	61.4	23.47	63.0	23.89	64.4	24.53
	31	55.2	22.41	57.0	22.83	58.5	23.26	60.1	23.89	61.8	24.32	63.2	24.95
	33	53.6	22.83	55.5	23.26	57.2	23.89	58.9	24.53	60.4	24.95	62.0	25.59
	35	52.1	23.26	54.0	23.68	56.0	24.53	57.7	25.17	59.1	25.59	60.8	26.02
	37	50.6	23.68	52.6	24.11	54.4	24.95	56.2	25.80	57.8	26.23	59.5	26.65
	39	49.2	24.11	51.1	24.74	52.9	25.38	54.8	26.23	56.6	26.65	58.3	27.29

3) 130%容量接続時 (室内ユニット合計容量 : 728)

(560 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	62.2	22.79	64.0	23.24	65.7	23.69	67.3	24.37	68.9	25.05	70.4	25.50
	29	60.9	23.24	62.7	23.69	64.2	24.15	66.0	24.82	67.7	25.27	69.2	25.95
	31	59.4	23.69	61.2	24.15	62.8	24.60	64.7	25.27	66.4	25.72	68.0	26.40
	33	57.7	24.15	59.7	24.60	61.5	25.27	63.3	25.95	65.0	26.40	66.6	27.07
	35	56.0	24.60	58.1	25.05	60.2	25.95	62.0	26.62	63.5	27.07	65.3	27.52
	37	54.4	25.05	56.5	25.50	58.5	26.40	60.4	27.30	62.2	27.75	64.0	28.20
	39	52.9	25.50	55.0	26.17	56.8	26.85	58.9	27.75	60.9	28.20	62.7	28.87

(c) FDCP672HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 538)

(672 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	55.7	21.07	57.3	21.47	58.8	21.88	60.3	22.49	61.7	23.09	63.1	23.50
	29	54.5	21.47	56.1	21.88	57.5	22.28	59.1	22.89	60.6	23.30	62.0	23.90
	31	53.1	21.88	54.8	22.28	56.3	22.69	57.9	23.30	59.4	23.70	60.8	24.31
	33	51.6	22.28	53.4	22.69	55.1	23.30	56.7	23.90	58.2	24.31	59.7	24.92
	35	50.1	22.69	52.0	23.09	53.9	23.90	55.5	24.51	56.9	24.92	58.5	25.32
	37	48.7	23.09	50.6	23.50	52.4	24.31	54.1	25.12	55.7	25.52	57.3	25.93
	39	47.3	23.50	49.2	24.11	50.9	24.71	52.7	25.52	54.5	25.93	56.1	26.54

2) 100%容量接続時 (室内ユニット合計容量 : 672)

(672 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	69.4	25.68	71.4	26.18	73.3	26.68	75.1	27.43	76.9	28.18	78.6	28.68
	29	67.9	26.18	70.0	26.68	71.7	27.18	73.7	27.93	75.6	28.43	77.3	29.18
	31	66.3	26.68	68.3	27.18	70.2	27.68	72.2	28.43	74.1	28.93	75.9	29.68
	33	64.4	27.18	66.6	27.68	68.7	28.43	70.7	29.18	72.5	29.68	74.4	30.43
	35	62.5	27.68	64.8	28.18	67.2	29.18	69.2	29.93	70.9	30.43	72.9	30.93
	37	60.7	28.18	63.1	28.68	65.3	29.68	67.5	30.68	69.4	31.18	71.4	31.68
	39	59.0	28.68	61.4	29.43	63.4	30.18	65.7	31.18	67.9	31.68	70.0	32.43

3) 130%容量接続時 (室内ユニット合計容量 : 874)

(672 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	74.6	27.14	76.8	27.67	78.8	28.20	80.8	28.99	82.7	29.79	84.5	30.32
	29	73.0	27.67	75.2	28.20	77.1	28.73	79.2	29.52	81.3	30.05	83.1	30.85
	31	71.2	28.20	73.5	28.73	75.4	29.26	77.6	30.05	79.7	30.58	81.6	31.38
	33	69.2	28.73	71.6	29.26	73.8	30.05	76.0	30.85	77.9	31.38	80.0	32.17
	35	67.2	29.26	69.7	29.79	72.2	30.85	74.4	31.64	76.2	32.17	78.4	32.70
	37	65.3	29.79	67.8	30.32	70.2	31.38	72.5	32.44	74.6	32.97	76.8	33.50
	39	63.4	30.32	66.0	31.11	68.2	31.91	70.7	32.97	73.0	33.50	75.2	34.29

(d) FDCP728HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 583)

(728 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	60.3	22.53	62.1	22.96	63.7	23.40	65.3	24.05	66.9	24.70	68.3	25.13
	29	59.0	22.96	60.8	23.40	62.3	23.83	64.0	24.48	65.7	24.92	67.1	25.57
	31	57.6	23.40	59.4	23.83	61.0	24.27	62.7	24.92	64.4	25.35	65.9	26.00
	33	55.9	23.83	57.9	24.27	59.7	24.92	61.4	25.57	63.0	26.00	64.6	26.66
	35	54.3	24.27	56.3	24.70	58.4	25.57	60.1	26.22	61.6	26.66	63.3	27.09
	37	52.8	24.70	54.8	25.13	56.8	26.00	58.6	26.87	60.3	27.31	62.1	27.74
	39	51.3	25.13	53.3	25.79	55.1	26.44	57.1	27.31	59.0	27.74	60.8	28.40

2) 100%容量接続時 (室内ユニット合計容量: 728)

(728: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	75.2	27.45	77.4	27.98	79.4	28.52	81.4	29.32	83.4	30.13	85.2	30.66
	29	73.6	27.98	75.8	28.52	77.7	29.06	79.8	29.86	81.9	30.40	83.7	31.20
	31	71.8	28.52	74.0	29.06	76.0	29.59	78.2	30.40	80.3	30.93	82.2	31.74
	33	69.7	29.06	72.1	29.59	74.4	30.40	76.6	31.20	78.6	31.74	80.6	32.54
	35	67.7	29.59	70.3	30.13	72.8	31.20	75.0	32.00	76.8	32.54	79.0	33.08
	37	65.8	30.13	68.4	30.66	70.8	31.74	73.1	32.81	75.2	33.34	77.4	33.88
	39	63.9	30.66	66.5	31.47	68.7	32.27	71.2	33.34	73.6	33.88	75.8	34.69

3) 130%容量接続時 (室内ユニット合計容量: 947)

(728: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	80.8	29.01	83.2	29.58	85.4	30.15	87.5	31.00	89.6	31.85	91.6	32.42
	29	79.1	29.58	81.5	30.15	83.5	30.71	85.8	31.57	88.0	32.13	90.0	32.99
	31	77.2	30.15	79.6	30.71	81.7	31.28	84.1	32.13	86.3	32.70	88.4	33.56
	33	75.0	30.71	77.6	31.28	80.0	32.13	82.3	32.99	84.4	33.56	86.6	34.41
	35	72.8	31.28	75.5	31.85	78.3	32.99	80.6	33.84	82.6	34.41	84.9	34.98
	37	70.7	31.85	73.5	32.42	76.1	33.56	78.6	34.69	80.8	35.26	83.2	35.83
	39	68.7	32.42	71.5	33.27	73.9	34.12	76.5	35.26	79.1	35.83	81.5	36.68

(e) FDCP784HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量: 628)

(784: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	65.0	24.57	66.8	25.04	68.6	25.52	70.3	26.24	72.0	26.95	73.6	27.43
	29	63.6	25.04	65.5	25.52	67.1	26.00	68.9	26.71	70.7	27.19	72.3	27.90
	31	62.0	25.52	63.9	26.00	65.6	26.47	67.5	27.19	69.4	27.67	71.0	28.38
	33	60.2	26.00	62.3	26.47	64.3	27.19	66.1	27.90	67.8	28.38	69.6	29.10
	35	58.5	26.47	60.7	26.95	62.9	27.90	64.8	28.62	66.3	29.10	68.2	29.57
	37	56.8	26.95	59.0	27.43	61.1	28.38	63.1	29.34	65.0	29.81	66.8	30.29
	39	55.2	27.43	57.4	28.14	59.4	28.86	61.5	29.81	63.6	30.29	65.5	31.00

2) 100%容量接続時 (室内ユニット合計容量: 784)

(784: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	81.0	30.03	83.3	30.62	85.5	31.21	87.7	32.10	89.8	32.98	91.7	33.57
	29	79.3	30.62	81.6	31.21	83.7	31.80	85.9	32.69	88.2	33.28	90.2	34.16
	31	77.3	31.21	79.7	31.80	81.8	32.39	84.2	33.28	86.5	33.87	88.5	34.75
	33	75.1	31.80	77.7	32.39	80.1	33.28	82.5	34.16	84.6	34.75	86.8	35.63
	35	72.9	32.39	75.7	32.98	78.4	34.16	80.8	35.04	82.7	35.63	85.1	36.22
	37	70.9	32.98	73.6	33.57	76.2	34.75	78.7	35.93	81.0	36.52	83.3	37.11
	39	68.8	33.57	71.6	34.45	74.0	35.34	76.7	36.52	79.3	37.11	81.6	37.99

3) 130%容量接続時 (室内ユニット合計容量: 1020)

(784: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	87.1	31.75	89.6	32.38	91.9	33.00	94.2	33.94	96.5	34.88	98.6	35.50
	29	85.2	32.38	87.7	33.00	89.9	33.63	92.4	34.56	94.8	35.19	96.9	36.13
	31	83.1	33.00	85.7	33.63	88.0	34.25	90.5	35.19	93.0	35.81	95.2	36.75
	33	80.7	33.63	83.5	34.25	86.1	35.19	88.7	36.13	90.9	36.75	93.3	37.69
	35	78.4	34.25	81.3	34.88	84.3	36.13	86.8	37.06	88.9	37.69	91.4	38.31
	37	76.2	34.88	79.1	35.50	81.9	36.75	84.6	38.00	87.1	38.62	89.6	39.25
	39	74.0	35.50	76.9	36.44	79.6	37.37	82.4	38.62	85.2	39.25	87.7	40.19

(f) FDCP840HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量: 672)

(840: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	69.6	26.64	71.6	27.15	73.5	27.67	75.3	28.45	77.1	29.23	78.8	29.75
	29	68.1	27.15	70.1	27.67	71.9	28.19	73.8	28.97	75.8	29.49	77.5	30.27
	31	66.4	27.67	68.5	28.19	70.3	28.71	72.4	29.49	74.3	30.01	76.1	30.79
	33	64.5	28.19	66.8	28.71	68.9	29.49	70.9	30.27	72.7	30.79	74.6	31.57
	35	62.7	28.71	65.0	29.23	67.4	30.27	69.4	31.05	71.1	31.57	73.1	32.09
	37	60.9	29.23	63.3	29.75	65.5	30.79	67.6	31.83	69.6	32.35	71.6	32.87
	39	59.1	29.75	61.5	30.53	63.6	31.31	65.9	32.35	68.1	32.87	70.1	33.65

2) 100%容量接続時 (室内ユニット合計容量: 840)

(840: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	86.8	32.63	89.3	33.27	91.6	33.92	93.9	34.88	96.2	35.84	98.3	36.49
	29	84.9	33.27	87.4	33.92	89.6	34.56	92.1	35.52	94.5	36.17	96.6	37.13
	31	82.8	33.92	85.4	34.56	87.7	35.20	90.2	36.17	92.7	36.81	94.8	37.77
	33	80.5	34.56	83.2	35.20	85.8	36.17	88.4	37.13	90.6	37.77	93.0	38.74
	35	78.1	35.20	81.1	35.84	84.0	37.13	86.5	38.09	88.6	38.74	91.1	39.38
	37	75.9	35.84	78.9	36.49	81.6	37.77	84.3	39.06	86.8	39.70	89.3	40.34
	39	73.8	36.49	76.7	37.45	79.3	38.42	82.2	39.70	84.9	40.34	87.4	41.31

3) 130%容量接続時 (室内ユニット合計容量: 1092)

(840: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	93.3	34.50	96.0	35.18	98.5	35.87	101.0	36.89	103.4	37.91	105.7	38.59
	29	91.3	35.18	94.0	35.87	96.4	36.55	99.0	37.57	101.6	38.25	103.8	39.27
	31	89.0	35.87	91.8	36.55	94.3	37.23	97.0	38.25	99.6	38.93	101.9	39.95
	33	86.5	36.55	89.5	37.23	92.3	38.25	95.0	39.27	97.4	39.95	100.0	40.98
	35	84.0	37.23	87.1	37.91	90.3	39.27	93.0	40.30	95.3	40.98	98.0	41.66
	37	81.6	37.91	84.8	38.59	87.8	39.95	90.7	41.32	93.3	42.00	96.0	42.68
	39	79.3	38.59	82.4	39.61	85.2	40.64	88.3	42.00	91.3	42.68	94.0	43.70

(g) FDCP896HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量: 717)

(896: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	74.2	28.02	76.4	28.56	78.4	29.10	80.3	29.91	82.3	30.72	84.1	31.25
	29	72.6	28.56	74.8	29.10	76.7	29.64	78.8	30.45	80.8	30.99	82.6	31.79
	31	70.9	29.10	73.1	29.64	75.0	30.18	77.2	30.99	79.3	31.52	81.1	32.33
	33	68.8	29.64	71.2	30.18	73.4	30.99	75.6	31.79	77.5	32.33	79.5	33.14
	35	66.8	30.18	69.3	30.72	71.9	31.79	74.0	32.60	75.8	33.14	78.0	33.68
	37	65.0	30.72	67.5	31.25	69.8	32.33	72.1	33.41	74.2	33.95	76.4	34.49
	39	63.1	31.25	65.5	32.06	67.8	32.87	70.3	33.95	72.6	34.49	74.8	35.29

2) 100%容量接続時 (室内ユニット合計容量: 896)

(896: 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	92.6	34.16	95.2	34.82	97.8	35.49	100.2	36.48	102.6	37.48	104.8	38.15
	29	90.6	34.82	93.3	35.49	95.6	36.15	98.2	37.15	100.8	37.81	103.0	38.81
	31	88.3	35.49	91.1	36.15	93.5	36.82	96.2	37.81	98.8	38.48	101.2	39.47
	33	85.8	36.15	88.8	36.82	91.6	37.81	94.3	38.81	96.7	39.47	99.2	40.47
	35	83.3	36.82	86.5	37.48	89.6	38.81	92.3	39.81	94.5	40.47	97.2	41.14
	37	81.0	37.48	84.1	38.15	87.1	39.47	90.0	40.80	92.6	41.47	95.2	42.13
	39	78.7	38.15	81.8	39.14	84.6	40.14	87.6	41.47	90.6	42.13	93.3	43.13

3) 130%容量接続時 (室内ユニット合計容量 : 1165)

(896 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	99.5	36.09	102.4	36.80	105.1	37.50	107.7	38.56	110.3	39.62	112.7	40.32
	29	97.4	36.80	100.3	37.50	102.8	38.21	105.6	39.26	108.4	39.97	110.8	41.03
	31	95.0	37.50	98.0	38.21	100.6	38.91	103.4	39.97	106.2	40.67	108.7	41.73
	33	92.3	38.21	95.5	38.91	98.4	39.97	101.3	41.03	103.9	41.73	106.6	42.79
	35	89.6	38.91	92.9	39.62	96.3	41.03	99.2	42.08	101.6	42.79	104.5	43.49
	37	87.1	39.62	90.4	40.32	93.6	41.73	96.7	43.14	99.5	43.84	102.4	44.55
	39	84.6	40.32	87.9	41.38	90.9	42.44	94.2	43.87	97.4	44.55	100.3	45.61

(h) FDCP952HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 762)

(952 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	78.9	29.49	81.2	30.06	83.3	30.63	85.4	31.48	87.4	32.33	89.3	32.90
	29	77.2	30.06	79.5	30.63	81.5	31.19	83.7	32.05	85.9	32.62	87.8	33.47
	31	75.3	30.63	77.6	31.19	79.7	31.76	82.0	32.62	84.2	33.18	86.2	34.04
	33	73.1	31.19	75.7	31.76	78.0	32.62	80.3	33.47	82.4	34.04	84.5	34.89
	35	71.0	31.76	73.7	32.33	76.4	33.47	78.6	34.32	80.5	34.89	82.8	35.46
	37	69.0	32.33	71.7	32.90	74.2	34.04	76.7	35.17	78.9	35.74	81.2	36.31
	39	67.0	32.90	69.7	33.75	72.1	34.61	74.7	35.74	77.2	36.31	79.5	37.16

2) 100%容量接続時 (室内ユニット合計容量 : 952)

(952 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	98.3	35.92	101.2	36.62	103.9	37.32	106.4	38.38	109.0	39.43	111.4	40.13
	29	96.2	36.62	99.1	37.32	101.6	38.03	104.3	39.08	107.1	39.78	109.5	40.83
	31	93.9	37.32	96.8	38.03	99.4	38.73	102.2	39.78	105.0	40.48	107.5	41.53
	33	91.2	38.03	94.3	38.73	97.3	39.78	100.2	40.83	102.7	41.53	105.4	42.58
	35	88.5	38.73	91.9	39.43	95.2	40.83	98.1	41.88	100.4	42.58	103.3	43.28
	37	86.1	39.43	89.4	40.13	92.5	41.53	95.6	42.93	98.3	43.63	101.2	44.34
	39	83.6	40.13	86.9	41.18	89.9	42.23	93.1	43.63	96.2	44.34	99.1	45.39

3) 130%容量接続時 (室内ユニット合計容量 : 1238)

(952 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	105.7	37.96	108.8	38.71	111.7	39.45	114.4	40.57	117.2	41.68	119.7	42.42
	29	103.5	38.71	106.5	39.45	109.2	40.19	112.2	41.31	115.1	42.05	117.7	43.17
	31	100.9	39.45	104.1	40.19	106.8	40.94	109.9	42.05	112.9	42.80	115.5	43.91
	33	98.0	40.19	101.4	40.94	104.6	42.05	107.7	43.17	110.4	43.91	113.3	45.02
	35	95.2	40.94	98.8	41.68	102.3	43.17	105.4	44.28	108.0	45.02	111.0	45.77
	37	92.5	41.68	96.1	42.42	99.5	43.91	102.7	45.40	105.7	46.14	108.8	46.88
	39	89.9	42.42	93.4	43.54	96.6	44.65	100.1	46.14	103.5	46.88	106.5	48.00

(i) FDCP1008HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 807)

(1008 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	83.5	31.52	35.9	32.13	88.2	32.74	90.4	33.66	92.6	34.57	94.6	35.18
	29	81.7	32.13	84.2	32.74	86.3	33.35	88.6	34.27	90.9	34.88	93.0	35.79
	31	79.7	32.74	82.2	33.35	84.4	33.96	86.8	34.88	89.2	35.49	91.3	36.40
	33	77.4	33.35	80.1	33.96	82.6	34.88	85.0	35.79	87.2	36.40	89.5	37.32
	35	75.2	33.96	78.0	34.57	80.8	35.79	83.3	36.71	85.3	37.32	87.7	37.93
	37	73.1	34.57	75.9	35.18	78.6	36.40	81.2	37.62	83.5	38.24	85.9	38.85
	39	71.0	35.18	73.8	36.10	76.3	37.01	79.1	38.24	81.7	38.85	84.2	39.76

2) 100%容量接続時 (室内ユニット合計容量 : 1008)

(1008 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	104.1	38.52	107.2	39.27	110.0	40.03	112.7	41.16	115.4	42.29	117.9	43.05
	29	101.9	39.27	104.9	40.03	107.6	40.78	110.5	41.91	113.4	42.67	115.9	43.80
	31	99.4	40.03	102.5	40.78	105.2	41.54	108.3	42.67	111.2	43.42	113.8	44.55
	33	96.6	40.78	99.9	41.54	103.0	42.67	106.0	43.80	108.8	44.55	111.6	45.69
	35	93.7	41.54	97.3	42.29	100.8	43.80	103.8	44.93	106.3	45.69	109.4	46.44
	37	91.1	42.29	94.7	43.05	98.0	44.55	101.2	46.06	104.1	46.82	107.2	47.57
	39	88.5	43.05	92.0	44.18	95.2	45.31	98.6	46.82	101.9	47.57	104.9	48.70

3) 130%容量接続時 (室内ユニット合計容量 : 1311)

(1008 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	111.9	40.72	115.2	41.52	118.2	42.32	121.1	43.52	124.1	44.72	126.8	45.52
	29	109.6	41.52	112.8	42.32	115.6	43.12	118.8	44.32	121.9	45.12	124.6	46.32
	31	106.8	42.32	110.2	43.12	113.1	43.92	116.4	45.12	119.5	45.92	122.3	47.12
	33	103.8	43.12	107.4	43.92	110.7	45.12	114.0	46.32	116.9	47.12	120.0	48.31
	35	100.8	43.92	104.6	44.72	108.4	46.32	111.6	47.51	114.3	48.31	117.6	49.11
	37	98.0	44.72	101.8	45.52	105.3	47.12	108.8	48.71	111.9	49.51	115.2	50.31
	39	95.1	45.52	98.9	46.72	102.3	47.91	106.0	49.51	109.6	50.31	112.8	51.51

(j) FDCP1064HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 852)

(1064 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	88.1	33.61	90.7	34.27	93.1	34.92	95.4	35.90	97.7	36.88	99.8	37.53
	29	86.3	34.27	88.8	34.92	91.1	35.57	93.6	36.55	96.0	37.21	98.1	38.19
	31	84.1	34.92	86.8	35.57	89.1	36.23	91.6	37.21	94.1	37.86	96.3	38.84
	33	81.7	35.57	84.6	36.23	87.2	37.21	89.8	38.19	92.1	38.84	94.5	39.82
	35	79.4	36.23	82.3	36.88	85.3	38.19	87.9	39.17	90.0	39.82	92.6	40.48
	37	77.1	36.88	80.1	37.53	82.9	38.84	85.7	40.15	88.1	40.80	90.7	41.46
	39	74.9	37.53	77.9	38.51	80.6	39.50	83.5	40.80	86.3	41.46	88.8	42.44

2) 100%容量接続時 (室内ユニット合計容量 : 1064)

(1064 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	109.9	41.11	113.1	41.91	116.1	42.72	119.0	43.93	121.8	45.14	124.5	45.95
	29	107.6	41.91	110.8	42.72	113.5	43.53	116.6	44.74	119.7	45.55	122.4	46.76
	31	104.9	42.72	108.2	43.53	111.1	44.34	114.3	45.55	117.4	46.36	120.1	47.57
	33	101.9	43.53	105.4	44.34	108.7	45.55	111.9	46.76	114.8	47.57	117.8	48.78
	35	99.0	44.34	102.7	45.14	106.4	46.76	109.6	47.97	112.3	48.78	115.4	49.59
	37	96.2	45.14	99.9	45.95	103.4	47.57	106.8	49.18	109.9	49.99	113.1	50.80
	39	93.4	45.95	97.1	47.16	100.4	48.38	104.1	49.99	107.6	50.80	110.8	52.01

3) 130%容量接続時 (室内ユニット合計容量 : 1384)

(1064 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	118.2	43.46	121.6	44.31	124.8	45.17	127.9	46.46	131.0	47.74	133.8	48.60
	29	115.6	44.31	119.1	45.17	122.0	46.03	125.4	47.31	128.7	48.17	131.5	49.45
	31	112.8	45.17	116.3	46.03	119.4	46.88	122.8	48.17	126.2	49.02	129.1	50.31
	33	109.6	46.03	113.4	46.88	116.9	48.17	120.3	49.45	123.4	50.31	126.6	51.59
	35	106.4	46.88	110.4	47.74	114.4	49.45	117.8	50.74	120.7	51.59	124.1	52.45
	37	103.4	47.74	107.4	48.60	111.2	50.31	114.8	52.02	118.2	52.88	121.6	53.73
	39	100.4	48.60	104.4	49.88	108.0	51.17	111.9	52.88	115.6	53.73	119.1	55.02

(k) FDCP1120HKX2DAF

1) 80%容量接続時 (室内ユニット合計容量 : 896)

(1120 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	92.8	35.66	95.5	36.36	98.0	37.06	100.4	38.10	102.8	39.14	105.1	39.84
	29	90.8	36.36	93.5	37.06	95.8	37.75	98.4	38.80	101.1	39.49	103.3	40.53
	31	88.6	37.06	91.4	37.75	93.8	38.45	96.5	39.49	99.1	40.19	101.4	41.23
	33	86.1	37.75	89.0	38.45	91.8	39.49	94.5	40.53	96.9	41.23	99.4	42.27
	35	83.5	38.45	86.7	39.14	89.8	40.53	92.5	41.58	94.8	42.27	97.5	42.97
	37	81.2	39.14	84.3	39.84	87.3	41.23	90.2	42.62	92.8	43.32	95.5	44.01
	39	78.9	39.84	82.0	40.88	84.8	41.93	87.8	43.32	90.8	44.01	93.5	45.06

2) 100%容量接続時 (室内ユニット合計容量 : 1120)

(1120 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	115.7	43.69	119.1	44.55	122.2	45.41	125.2	46.71	128.2	48.00	131.0	48.86
	29	113.2	44.55	116.6	45.41	119.5	46.28	122.8	47.57	126.0	48.43	128.8	49.72
	31	110.4	45.41	113.9	46.28	116.9	47.14	120.3	48.43	123.5	49.29	126.4	50.58
	33	107.3	46.28	111.0	47.14	114.5	48.43	117.8	49.72	120.8	50.58	124.0	51.87
	35	104.2	47.14	108.1	48.00	112.0	49.72	115.4	51.01	118.2	51.87	121.5	52.73
	37	101.2	48.00	105.2	48.86	108.9	50.58	112.4	52.30	115.7	53.16	119.1	54.03
	39	98.3	48.86	102.3	50.15	105.7	51.44	109.5	53.16	113.2	54.03	116.6	55.32

3) 130%容量接続時 (室内ユニット合計容量 : 1456)

(1120 : 冷房)

周波数 (Hz)	外気温度 (DB)	室内吸込空気温度 (WB)											
		17		18		19		20		21		22	
		能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)	能力 (kW)	消費電力 (kW)
50	27	124.4	46.20	128.0	47.11	131.4	48.03	134.6	49.40	137.9	50.76	140.9	51.68
	29	121.7	47.11	125.3	48.03	128.5	48.94	132.0	50.31	135.5	51.22	138.5	52.59
	31	118.7	48.03	122.4	48.94	125.7	49.85	129.3	51.22	132.8	52.13	135.9	53.50
	33	115.3	48.94	119.3	49.85	123.0	51.22	126.7	52.59	129.9	53.50	133.3	54.87
	35	112.0	49.85	116.2	50.76	120.4	52.59	124.0	53.96	127.0	54.87	130.6	55.79
	37	108.8	50.76	113.1	51.68	117.0	53.50	120.9	55.33	124.4	56.24	128.0	57.15
	39	105.7	51.68	109.9	53.05	113.7	54.42	117.8	56.24	121.7	57.15	125.3	58.52